




FOOD PROCESSORS

DISCS



OUR TEAM IS BY YOUR SIDE



Call your local Territory Manager to arrange a free, no obligation demonstration in your own kitchen

CUSTOMER SERVICE & WARRANTY:

Robot Coupe Australia Pty Ltd Unit 3/43 Herbert St Artarmon NSW 2064 Australia 02 9478 0300 info@robotcoupe.com.au www.robotcoupe.com.au

NEW PRODUCTS & FEATURES





IMMERSION BLENDERS The new removable EasyGrip handle for MP 550 Ultra and MP 600 Ultra







NEW

NEW PRODUCTS & FEATURES robot @ coupe[®]

Discover the 10 new large-capacity Food Processor, Cutter Mixer and Blixer[®] table-top models! Versatile, compact and efficient, they meet all the needs of chefs.



PAGE 35

FOOD PROCESSORS R 502 / R 502 V.V. R 752 / R 752 V.V.

















BLIXER[®] Blixer[®] 5 / Blixer[®] 5 V.V. Blixer[®] 7 V.V.






robot / coupe®

INNOVATION AT THE HEART OF OUR HISTORY

Since 1961, Robot-Coupe has designed, developed and manufactured all its products in France, the home of gastronomy.







WORLD LEADER PRESENT IN AUSTRALIA AND NEW ZEALAND FOR OVER 40 YEARS



BOTH GLOBAL AND LOCAL COMMITMENT

Present in more than 130 countries, Robot-Coupe uses its expertise and know how as a world leader to constantly adapt to different types of local cuisine. Across the globe, our teams provide ongoing support to distributors and catering professionals to meet their specific needs.



A CULTURE OF COMMITMENT



DESIGNED AND MADE IN FRANCE

Robot-Coupe products are all designed and made in France to guarantee a superior level of quality and ensure unbeatable performance. Our products are always at the cutting edge of technology and excellence.

INNOVATIVE AND DURABLE

Because our goal is to meet your needs, innovation is our focus to anticipate your every requirement.

We commit to offering you high performance, durable products that exceed the current norms, with technical and industrial choices designed to guarantee the durability, maintenance and repairability of our products.





INSPIRING AND SATISFYING

Being your partner in the kitchen stimulates our research and development to imagine, improve and create new ways of utilising our products.

Your satisfaction is our priority to build a lasting relationship of trust and allow you to express your full culinary creativity.

robot / coupe

A COMPANY COMMITTED TO SUSTAINABLE DEVELOPMENT

Throughout the decades, Robot-Coupe has been committed to a policy of social and ethical responsibility with four focuses.



" 100% of our machines can be repaired and more than 95% recyclable "

STRONG COMMITMENTS THROUGHOUT THE SERVICE LIFE OF PRODUCTS



DESIGN

Products designed to last

- The materials used for our machines are high quality and long lasting.
- Our machines provide energy efficiency and savings throughout their service life.
- 100% of our products can be repaired.
- Spare parts are available for more than 10 years after a product is discontinued.

PRODUCTION

Ethical and responsible practice

- Compliance with the most stringent standards.
- Application of the ROHS directive (Restriction Of Hazardous Substances) and incorporation of future standards such as the EuP (Energy Using Product).
- The choice of European supply partners to reduce transport and its impact on the environment.





RESOURCES

Sustainable resource management:

- Reduction in packaging from design onwards and decrease in production waste.
- High precision machines to reduce waste in the kitchen.
- Our products are more than 95% recyclable.
- Participation in waste collection and recycling schemes in each country.

PEOPLE

A socially committed company:

- An individual employee development policy and promotion of ethics.
- Respect of International Labour Organisation standards.
- Sharing of our CSR requirements with our partners with corresponding support and backing.





robot / coupe®

AT YOUR SERVICE

Robot-Coupe is not only a manufacturer. It is a people oriented company whose ability to listen and provide quality service is rolled out across the globe to improve the everyday lives of professionals. Our customer's requirements dictates our actions and our support.

PRESENCE IN THE FIELD

Robot-Coupe is at your side:

- Demonstration of the latest Robot-Coupe machines
- Audit of your kitchen equipment
- Technical training in your restaurant or in Robot-Coupe's kitchens
- Support for the repair and maintenance of your machines and replacement of spare parts
- Sharing of experience.



" A trusted partner who brings me true peace of mind "

DEMONSTRATION IN YOUR KITCHEN

Ask for a demonstration on our website. **www.robotcoupe.com.au**



A TRUSTED PARTNER





Quality Customer Service

Robot-Coupe has a dedicated team to answer all your questions and help you choose the right equipment including quotations, orders, invoice, shipping, etc. Guaranteed dispatch of machines and accessories within 48 hours. Spare parts ordered on our after sales service website are sent within 24 hours. More than 98% of orders meet the stipulated deadline.

High tech assistance

To complete its service offering, Robot-Coupe has a specialised team trained to provide efficient, rapid help in troubleshooting, carrying out repairs and maintenance, providing video tutorials, etc.





A high performance logistics centre

Robot-Coupe keeps all its machine and spare parts stocks in a dedicated warehouse to ensure rapid delivery times. More than 90% of our references are kept in stock. A team of logistic professionals tasked with carefully organising orders and ensuring traceability of shipments.

An efficient after sales service

The www.spareparts.uk.robot-coupe.com

website provides a rapid tool to find information and or order:

- Consultation of spare parts with exploded views and wiring diagrams.
- Multicriteria searches by reference #, serial number, product category or model.
- Ordering of spare parts in real time*.



3

1 MIDI CATALOGUE Australia Ref. 450 894

2 SELECTION GUIDE Discs Ref. 430 401 RECIPE BOOKS Robot Cook Ref. 450 986 RECIPE BOOKS Nutrition & Healthcare Ref. 451 533

4

Contact your Robot-Coupe Territory Manager to discover the full collection.




THROUGHOUT 2021 At trade shows across Australia, New Zealand and the rest of the world



IN YOUR STORES AND SHOWROOMS



Set of 3 displays Ref. 451 581 Dimensions: L126 x H60 x W40 cm



Ref. 407 818

Ref. 450 421

stand Ref. 407 435 **NEW**

robot / coupe

IS BY YOUR SIDE

FIND OUR VIDEOS ON THE OFFICIAL ROBOT-COUPE CHANNEL:

🔼 YouTube





Robot-Coupe CL 50 Ultra video



Robot-Coupe J 100 video

or on our website: www.robotcoupe.com.au

AFTER SALES SERVICE

robot @ coupe"					
Sweeth by model	W Your basket [0 article(s]]	ric actiers 🛛 🗗 Previo	sus orders dupport	robof (* coupe	
Food processors Cutter mean-agenative programmer	😰 Home		VIDEO		(Man
Vegetable preparation				Name Name Name	The state of the s
Discs	Type the earled manifer (i.e. K4440111701) or the first 3 manifers of the senial manifer (i.e. 444)	Ex., #4440111701	2	Takin Top (Later Minner	
Table-Top Cutter Mixers	introduce in the delay particular free and			Company Streets	Market Market
Vertical Cutter Moters				NAME OF A	
Blenders-Mixers Employment-March	Order a reference i	61 102000	p	National Sector	10N 10N
Robot Cook Robot Cook			- ·	Print storp by them	
Stick bienders					
Automatic sieves	The choice of the spare part depends on the versio	n or the model of ye	DQIT::		
Nicer	machine, to avoid any error, it is compulsory to refe	Alter and the second			
Bread stong machines	machine before searching a spare part reference.				for the set of the set

After Sales Service videos

To train your technicians on maintenance and repair operations.

ALSO FOLLOW US ON THE OFFICIAL ROBOT-COUPE SOCIAL MEDIA:



A COMPREHENSIVE WEBSITE






• Easy to navigate and user friendly: Quickly access product information from any device.

NEW

• Video collection: demonstration & training.

FOR YOU, DEALERS AND KITCHEN PLANNERS

- Ŧ
- **Dedicated access:** consult and download technical instructions, specifications, 2D, 3D & BIM drawings
- Simply email our Customer Service Team at info@robotcoupe.com.au to receive your username and password.



· management		and the second second		- 1
robot a coup		Smith by pumpt is not		
molects vous more series		damber us		
mouth a balance print				
SELECTION GUIDE				
First the markets for your re-				
Find the maintine for your re-	eds. Samed on the admitte	er pitterie belloe.		
Comments	8.1 mmm	C means	<u></u>	
and the second se		1.000		
(100.0)	Automa .		Markense	11
time event time	Summer 4.8 mm		141	- 11
then .		-	CL 10 Second	
all the second	-		A	-
		ALC: 1800	10.0	
Make Propagation and				

FOR YOUR CUSTOMERS

- Selection guide: find the right machine in just a few clicks
- **Product registration:** download user manuals and safety instruction sheets



SOLUTIONS FOR EVERY FOOD SECTOR

COMMERCIAL FOODSERVICE



FULL SERVICE

Casual dining Traditional restaurants Theme restaurants Chains Bistro cuisine Gourmet cuisine



CONTRACT CATERING



CORPORATE CATERING

Company restaurants Institutional restaurants Mining Sites Army Prisons Central kitchens



ARTISANS AND SUPERMARKETS



BAKERS AND Confectioners

Bakers Confectioners Tea rooms Ice cream parlours Chocolate makers Pie shops



FAST FOOD

Fast Food Juice Bars Takeaway Salad & Sandwich Bars Cafeterias Food Courts



HOTEL CATERING

All categories of hotels Banquets Holiday centres Camping grounds Staff canteens

EDUCATION

Day care Pre-school Primary school High school University Central kitchens



HEALTHCARE

Retirement / Nursing Homes Hospitals Special needs facilities Central kitchens

DELICATESSEN Catering

Delicatessens Caterers



SUPERMARKETS

Freshly cut food Greengrocers Juice bars Delicatessens Snack bars Food Courts

INVEST IN A robot o coupe®




MAKE LIFE EASIER FOR THE USER

Reduce manual tasks in the kitchen





SAVE TIME Increase productivity





BOOST YOUR CREATIVITY Let your imagination run wild





SAVE MONEY

Return on investment in less than 6 months!



= Save 20 minutes per service.







CONTENTS



FOOD PROCESSORS	PAGE 22
DISC COLLECTION	PAGE 38
VEGETABLE	
PREPARATION MACHINES	PAGE 52
CUTTER MIXERS	PAGE 78
ROBOT COOK®	PAGE 96
BLIXER®	PAGE 100
IMMERSION BLENDERS	PAGE 118
JUICE EXTRACTORS	PAGE 140
AUTOMATIC SIEVES	PAGE 147
PLANETARY MIXERS	PAGE 152
TECHNICAL DATA (dimensions, weight, etc.)	PAGE 160

FOOD PROCESSORS CUTTER MIXERS & VEGETABLE SLICERS





2 MACHINES IN ONE!

Compact and multifunctional, Robot-Coupe's combined cutter and vegetable slicer is one of the chef's greatest allies even in a very small kitchen.

FOOD PROCESSORS CUTTER MIXERS & VEGETABLE SLICERS

Automatic push button restart: faster and more convenient to operate.

Lid: Designed so that liquids and other ingredients can be added during processing.

Handle: Ergonomic to make it easy to grasp the bowl.

Variable speed: 300 to 3500 rpm for a greater variety of

applications.



robot & coupe

R 402 V.V.

Flat bottom bowl with twin blade assembly to process both large and small quantities. Removable smooth blade included. Coarse and fine serrated blade available as options.

4.51



Range of **28 discs available** as options.




Lateral ejection:

Space saving and

ergonomic.

Scan the QR Code to see the food processor in action.

CUTTER FUNCTION



* For R 402, R 402 V.V, R 502, R 502 V.V, R 752, R 752 V.V.

JUICE AND COULIS EXTRACTION FUNCTION*

- · Extraction of fruit and vegetable juices for appetizers, sauces, sorbets, ice cream, smoothies, jam, fruit jellies, etc.
- · Coulis function to extract pulp rich juices from cooked or tender fruit and vegetables.
- · Citrus press function for all types of citrus fruits.



* Available for R 201 XL Ultra, R 211 XL, R 211 XL Ultra, R 301, R 301 Ultra, R 401, R 402, R 402 V.V.

BACK TO SUMMARY

FOOD PROCESSORS CUTTER MIXERS & VEGETABLE SLICERS







GRATE / SLICE / RIPPLE CUT / JULIENNE



R 201 XL Ultra













Single phase

1 speed

Juice and coulis extractor kit*

*Optional attachment

R-Mix[®] : Reverse rotation blending function

Models	Maximum quantity for cutter function	Hourly capacity for vegetable preparation function	Number of covers
R 201 XL Ultra	1.0 kg	25 kg/hr	up to 20
R 211 XL / R 211 XL Ultra	1.0 kg	40 kg/hr	10 to 30
R 301 / R 301 Ultra	1.5 kg	50 kg/hr	10 to 80
R 401 / R 402 / R 402 V.V.	2.5 kg	50 kg/hr	20 to 100
R 502 / R 502 V.V.	3.2 kg	150 kg/hr	30 to 300
R 752 / R 752 V.V.	3.8 kg	250 kg/hr	50 to 400

FOOD PROCESSORS CUTTER MIXERS & VEGETABLE SLICERS



R 201 XL Ultra

Induction motor	\checkmark
Wattage	550 W
Voltage	Single phase
Speed	1500 rpm
Pulse	✓
Cutter	2.9 L stainless steel bowl with handle
Blade	Stainless steel smooth blade - Included
Vegetable slicer	Half moon hopper Cylindrical hopper Ø 58 mm
Ejection	In bowl
Discs	2 mm slicer, 2 mm grater - Included



R 211 XL

\checkmark
550 W
Single phase
1500 rpm
\checkmark
2.9 L composite bowl with handle
Stainless steel smooth blade - Included
Half moon hopper
Cylindrical hopper Ø 58 mm
Continuous
2 mm slicer, 4 mm slicer, 2 mm grater, 4x4 mm julienne - Included

Choose your model:

Choose

your options:

 R 201 XL Ultra
 Ref.

 R 201 XL Ultra 220-240V/50/1 - 2 discs
 22592

R 211 XL - 4 discs	Ref.	
R 211 XL 220-240V/50/1 - 4 discs	2125	
R 211 XL without disc	Ref.	
R 211 XL 220-240V/50/1	2183	



	R 201 XL Ultra / R 211 XL
Options	Ref.
Coarse serrated blade Designed for grinding & kneading	27138
Fine serrated blade Designed for herbs & spices	27061
Additional smooth blade	27055
Juice and coulis extractor kit	27393
Citrus press attachment	27392

BACK TO SUMMARY



R 211 XL Ultra

Induction motor	\checkmark	
Wattage	550 W	
Voltage	Single phase	
Speed	1500 rpm	
Pulse	\checkmark	
Cutter	2.9 L stainless steel bowl with handle	
Blade	Stainless steel smooth blade - Included	
Vegetable slicer	Half moon hopper Cylindrical hopper Ø 58 mm	
Ejection	Continuous	
Discs	2 mm slicer, 4 mm slicer, 2 mm grater, 4x4 mm julienne - Included	

Choose your model:

R 211 XL Ultra - 4 discs	Ref.	
R 211 XL Ultra 220-240V/50/1 - 4 discs	2118	
R 211 XL Ultra without disc	Ref.	
R 211 XL Ultra 220-240V/50/1	2193	

Complete disc collection page 40



	R 211 XL Ultra	
Options	Ref.	
Coarse serrated blade Designed for grinding & kneading	27138	
Fine serrated blade Designed for herbs & spices	27061	
Additional smooth blade	27055	
Juice and coulis extractor kit	27393	
Citrus press attachment	27392	







BACK TO SUMMARY

JUICE AND COULIS EXTRACTOR KIT

- Extraction of fruit and vegetable juices for appetizers, sauces, sorbets, ice cream, smoothies, jam, fruit jellies, etc.
- Coulis function to extract pulp rich juices from cooked or tender fruit and vegetables.
- Citrus press function for all types of citrus fruits.
- Replaces numerous manual tools:



	Ref.
Coulis and juice extractor kit for R201 XL / R211 XL	27393
Coulis and juice extractor kit for R301 / R301 Ultra / R401 / R402 / R402 V.V.	27396
Citrus fruit attachment R 201 XL / R 211 XL	27392
Citrus fruit attachment for R301 / R301 Ultra / R401 / R402 / R402 V.V.	27395

150

Surface area 104 sq.cm.

6

S



R 301

Induction motor	\checkmark
Wattage	650 W
Voltage	Single phase
Speed	1500 rpm
Pulse	✓
Cutter	3.7 L composite bowl
Blade	Stainless steel smooth blade - Included
Vegetable slicer	Half moon hopper 1.6 L Cylindrical hopper Ø 58 mm
Discs	2 mm slicer, 4 mm slicer, 2 mm grater, 4x4 mm julienne - Included

Choose your model:



Complete disc collection page 40

R 301 - 4 discs

R 301 220-240V/50/1 - 4 discs







in action.





	R 301	R 301 Ultra
Options	Ref.	Ref.
Coarse serrated blade Designed for grinding & kneading	27288	27288
Fine serrated blade Designed for herbs & spices	27287	27287
Additional smooth blade	27286	27286
Cutter accessory (bowl, lid, blade)	27272	27278
Coulis and Juice extractor kit	27396	27396
Citrus press attachment	27395	27395

R 301 Ultra

robot, coupe

0 0 0

R301 Ultra

\checkmark
650 W
Single phase
1500 rpm
✓
3.7 L stainless steel bowl
Stainless steel smooth blade - Included
Half moon hopper 1.6 L Cylindrical hopper Ø 58 mm
2 mm slicer, 4 mm slicer, 2 mm grater, 4x4 mm julienne - Included

BACK TO SUMMARY

FOOD PROCESSORS CUTTER MIXERS & VEGETABLE SLICERS



R 401

Induction motor	\checkmark
Wattage	700 W
Voltage	Single phase
Speed	1500 rpm
Pulse	\checkmark
Motor base	Metal
Cutter	4.5 L stainless steel bowl
Blade	Stainless steel smooth blade - Included
Vegetable slicer	Half moon hopper 1.6 L Cylindrical hopper Ø 58 mm Stainless steel
Discs	2 mm slicer, 4 mm slicer, 2 mm grater,

4x4 mm julienne - Included

Choose your model:



Scan the QR Code to see this function in action.

Choose your options:

R 401 - 4 discs	Ref.	
R 401 220-240V/50/1 - 4 discs	2421	





R 402

\checkmark
750 W
Single phase
500 rpm - 1500 rpm
✓
Metal
4.5 L stainless steel bowl
Stainless steel smooth blade - Included
Half moon hopper 1.6 L
Cylindrical hopper Ø 58 mm Stainless steel
2 mm slicer, 4 mm slicer, 2 mm grater, 4x4 mm julienne - Included

R 402 - 4 discs	Ref.
R 402 220-240V/50/1 - 4 discs	2489

	R 401 / R 402	
Options	Ref.	
Coarse serrated blade Designed for grinding & kneading	27346	
Fine serrated blade Designed for herbs & spices	27345	
Additional smooth blade	27344	
Cutter accessory (bowl, lid, blade)	27342	
Coulis and Juice extractor kit	27396	
Citrus press attachment	27395	



R 402 V.V.

Induction motor	\checkmark
Wattage	1000 W
Voltage	Single phase
Speed	300 to 3500 rpm for cutter 300 to 1000 rpm for vegetable slicer
Pulse	\checkmark
Motor base	Metal
Cutter	4.5 L stainless steel bowl
Blade	Stainless steel smooth blade - Included
Vegetable slicer	Half moon hopper 1.6 L Cylindrical hopper Ø 58 mm Stainless steel
Discs	2 mm slicer, 4 mm slicer, 2 mm grater, 4x4 mm julienne - Included

Choose your model:




R 402 V.V.- 4 discs Ref. R 402 V.V. 220-240V/50/1 - 4 discs 2439

Scan the QR Code to see this function in action.



	R 402 V.V.	
Options	Ref.	
Coarse serrated blade Designed for grinding & kneading	27346	
Fine serrated blade Designed for herbs & spices	27345	
Additional smooth blade	27344	
Cutter accessory (bowl, lid, blade)	27342	
Coulis and Juice extractor kit	27396	
Citrus press attachment	27395	







BACK TO SUMMARY

MASHED POTATO FUNCTION

MODELS R 502, R 502 V.V., R 752, R 752 V.V.

• High output


Can produce up to 10 kg of delicious fresh mashed potato in just 2 minutes.

• Ergonomic

The extra large ergonomic hopper allows for the continuous processing of potatoes with as little handling as possible.

Versatile

In addition to the 50 existing ways of processing fruit and vegetables, you can also make puree.





The mashed potato attachment consists of:

- a feed hopper to handle large quantities of potatoes (for R 502 and R 502 V.V. only)
- a paddle
- a special Ø 3 mm or 6 mm grid
- a special puree ejection disc.

	Ref.
Mashed potato attachment Ø 3 mm (R 502 and R 502 V.V.) 1 + 2	28207
Mashed potato equipment Ø 3 mm 2	28208
Mashed potato attachment Ø 6 mm (R 502 and R 502 V.V.) 1 + 2	28209
Mashed potato equipment Ø 6 mm 2	28210



R 502


Induction motor	\checkmark
Wattage	900 W
Voltage	3 phase
Speed	750 rpm - 1500 rpm
Pulse	✓
Motor base	Metal
Cutter	5.9 L stainless steel bowl
Scraper arm	✓
Blade	Stainless steel smooth blade - Included
Vegetable slicer	Half moon hopper 2.2 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included
Discs	Not included



R 502 V.V.

\checkmark
1 500 W
Single phase - 15 amp
300 to 3500 rpm for cutter 300 to 1000 rpm for vegetable slicer
Metal
5.9 L stainless steel bowl
\checkmark
Stainless steel smooth blade - Included
Half moon hopper 2.2 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included
Not included

Choose your model:



R 502 V.V.	Ref.	
R 502 V.V. 220-240V/50/1	2388	



Choose your options:

	. 6	D	
	a	b	2
L	108	98	1
6	188	9	

Choose your pack of discs:

	R 502 all models
Options	Ref.
Coarse serrated blade Designed for grinding & kneading	27305
Fine serrated blade Designed for herbs & spices	27304
Additional smooth blade	27303
Cutter accessory (bowl, lid, blade)	27320

Discover a full collection of suggested packs on page 48	Ref.
Pizza Pack	2085
Bakery Pack	2086
Catering Pack	2087
Asian Pack	2088

R 752 AND R 752 V.V. FOOD PROCESSORS

- Versatile, compact and efficient thanks to their increased processing capacity
- A timer for greater precision and consistency
- New attachments designed for professional needs!

Adjustable hopper to all all sizes of fruits and vegetables!



NEW



Extra large hopper: Up to 15 tomatoes or 1 whole cabbage.



Cylindrical hopper Ø 58 mm : For uniform cutting of long vegetables.



Exactitube pusher: Cylindrical hopper with **Ø 39 mm** Exactitube pusher to cut small fruit and vegetables such as chillis, gherkins, dry sausage, asparagus, spring onions, bananas, strawberries, grapes, etc.

Space saving and convenient.

Lid:

Liquids and other ingredients can be adding during processing.



Scraper arm: Designed to easily scrape the lid and edges of the bowl whilst in operation.

7.5 L large capacity bowl with ergonomic handle: Saves time by increasing the quantities processed.*

Ergonomic: Lever with assisted

INNOVATION

 $\begin{array}{l} \text{movement} = \text{less effort} \\ \text{for the operator.} \end{array}$

Timer:

- Precision
- Consistency
- Time-saving

robot coupe

R752 V.V.

Powerful motor:

To handle even the toughest preparations.



Delivered with all stainless steel smooth blade: 2 detachable adjustable blades.



Range of **more than 50 discs available** as options.

Options for R 752 and R 752 V.V.	Ref.	
Coarse serrated blade Designed for grinding & kneading	27308	
Fine serrated blade Designed for herbs & spices	27307	
Additional stainless steel smooth blade	27306	
Cutter accessory (bowl, lid, blade)	27318	
Lower coarse serrated blade	49162	
Upper coarse serrated blade	49163	
Lower fine serrated blade	49164	
Upper fine serrated blade	49165	
Lower smooth blade	49160	
Upper smooth blade	49161	
3 mm mashed potato equipment	28208	
6 mm mashed potato equipment	28210	

*5.9 L bowl for R 502 / R 502 V.V. and 7.5 L for R 752 / R 752 V.V.

175 m

59

Surface area 227 sq.cm.

"Discover all the disk packs on page 48"



R 752

Induction motor	\checkmark
Wattage	1 800 W
Voltage	3 phase
Speed	750 rpm - 1500 rpm
Pulse	✓
Motor base	Metal
Cutter	7.5 L stainless steel bowl
Scraper arm	\checkmark
Blade	All stainless steel detachable, adjustable smooth blade - Included
Vegetable slicer	Full moon hopper 4.4 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included
Discs	Not included

robot i coupe

R 752 V.V.

NEW

١				

1 500 W Single phase - 15 amp 300 to 3500 rpm for cutter 300 to 1000 rpm for vegetable slicer

✓ Metal

7.5 L stainless steel bowl

✓

All stainless steel detachable, adjustable smooth blade - Included

Full moon hopper 4.4 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included

Not included

R 752 V.V.	Ref.
R 752 V.V. 220-240V/50/1	2116

Choose your options opposite:

Choose

your model:



R 752

R 752 400V/50/3

Choose your pack of discs:

Discover a full collection of suggested packs on page	48 Ref.
Pizza Pack	2085
Bakery Pack	2086
Catering Pack	2087
Asian Pack	2088

Ref.


2113

DISC COLLECTION



THE WIDEST RANGE OF CUTS

More than 50 discs to choose from to slice, grate, julienne, dice, chop, shred, waffle cut and cut French fries with perfection in next to no time. Save hours of work each day using Robot-Coupe Food Processors and Vegetable Preparation Machines.



	A		7.		•	
	ESSENTIAL Series 1-4	ESSEN Series			EXPERT Series 5-7	EXPERT Series 5-7
	R 201 XL Ultra R 211 XL R 211 XL R 211 XL Ultra R 301 R 301 Ultra R 401 CL 20	R 402 R 402 V.V.	CL 40	DISCS	R 502/R 502 V.V. R 752/R 752 V.V. CL 50/CL 50 Ultra CL 52/CL 55 CL 60/CL 60 V.V.	CL 50 Gourmet
SLICE				Almonds 0.6 mm	28166W	28166W
00				0.8 mm	28069W	28069W
(A)	27051	270	51	1 mm	28062W	28062W
	27555	275	55	2 mm	28063W	28063W
Ch	27086	270	86	3 mm	28064W	28064W
	27566	275	66	4 mm	28004W	28004W
	27087	270	87	5 mm	28065W	28065W
	27786	277	86	6 mm	28196W	28196W
				8 mm	28066W	28066W
Con City				10 mm	28067W	28067W
CANCER				14 mm	28068W	
Carlos and				4 mm cooked potatoes	27244W	27244W
				6 mm cooked potatoes	27245W	27245W
RIPPLE CUT	27621	276	21	2 mm	27068W	27068W
				3 mm	27069W	27069W
				5 mm	27070W	27070W
GRATE	27588	27588	27148	1.5 mm	28056	28056
UNATE	27577	27577	27149	2 mm	28057	28057
CR R	27511	27511	27150	3 mm	28058	28058
	27511	21311	27150	4 mm	28073	28073
Stor M				5 mm	28059	28059
They	07046	070	16		20039	20039
and i	27046	270	40	6 mm	00010	00010
The	07000	070	00	7 mm	28016	28016
No.	27632	276		9 mm	28060	28060
	27764	277		Parmesan cheese	28061	28061
Jun Party	27191	271	91	Röstis potatoes	27164	27164
112321	07070	070		Raw potatoes	27219	27219
1 VPC	27078	270		0.7 mm horseradish paste	00055	00055
	27079	270		1 mm horseradish paste	28055	28055
	27130	271	30	1.3 mm horseradish paste		
JULIENNE				1.8 mm (ribbons)	28172W	28172W
-				1 x 26 onion/cabbage	28153W	28153W
-	27080	270	••••••••••••	2 x 4 mm	27072W	27072W
The last	27081	270	81	2 x 6 mm	27066W	27066W
///				2 x 8 mm	27067W	27067W
-				2 x 10 mm (ribbons)	28173W	28173W
Arx I	27599	275	99	2 x 2 mm	28051W	28051W
1200				2.5 x 2.5 mm	28195W	28195W
1- South Contraction				3 x 3 mm	28101W	28101W
Car y	27047	270	•••••••••••••••••••••••••••••••••••••••	4 x 4 mm	28052W	28052W
- Star	27610	276	10	6 x 6 mm	28053W	28053W
	27048	270	48	8 x 8 mm	28054W	28054W

	ESSENTIAL Series 1-4		EXPERT Series 5-7	EXPERT Series 5-7
	R 402 R 402 V.V. CL 40	DISCS	R 502/R 502 V.V. R 752/R 752 V.V. CL 50/CL 50 Ultra CL 52/CL 55 CL 60/CL 60 V.V.	CL 50 Gourmet
DICE		5 x 5 x 5 mm	2 8110W	28110W
EQUIPMENT	27113	8 x 8 x 8 mm	2 8111W	2 8111W
	27114	10 x 10 x 10 mm	28112W	28112W
	27298	12 x 12 x 12 mm	28197W	
		14 x 14 x 5 mm (mozzarella)	2 8181W	28181W
		14 x 14 x 10 mm	28179W	28179W
		14 x 14 x 14 mm	28113W	
		20 x 20 x 20 mm	28114W	
		25 x 25 x 25 mm	28115W	
		50 x 70 x 25 mm (salad)	28180W	
FRENCH FRIES	▲ 27116	8 x 8 mm	▲ 28134W	▲ 28134W
		8 x 16 mm	▲ 28159W	▲ 28159W
	2 7117	10 x 10 mm	▲ 28135W	▲ 28135W
r 🗸 '		10 x 16 mm	▲ 28158W	▲ 28158W
BRUNOISE		2 x 2 x 2 mm		28174W
		3 x 3 x 3 mm		28175W
		4 x 4 x 4 mm		28176W
WAFFLE CUT		2 mm		28198W
		3 mm		28199W
		4 mm		28177W
THE STATE		6 mm		28178W

DICING equipment consisting of: 1 dicing grid + 1 slicing disc.


FRENCH FRIES equipment consisting of: 1 french fries grid + 1 special french fries cutting disk.

ACCESSORIES	Ref.	
WALL MOUNTED BLADE AND DISC HOLDER: 1 BLADE and 8 DISCS > R 201 XL Ultra to R 402 V.V.	107810	
WALL MOUNTED DISC HOLDER WITH 4 STAINLESS STEEL HOOKS > 16 small discs or 8 large discs	107812	
DISC RACK: > R 502 to R 752 V.V. > CL 50 to CL 60 V.V.	27258	
WALL MOUNTED DISC HOLDER STAINLESS STEEL	101230	
D-CLEANING KIT: CLEANING TOOL DICING GRIDS (5, 8 or 10 mm)	39881	
DISC PROTECTOR Image: Constraint of the second	39726	

Complete disc collection page 40

THE WIDEST RANGE OF CUTS






The green discs show the actual size

*Except CL 50 Gourmet

10 mm

Ref. 28067W



BACK TO SUMMARY

DISCS


THE WIDEST RANGE OF CUTS

GRATE

The green discs show the actual size


44 2022 Edition robot @ coupe*

Expert : CL 50, CL 50 Ultra, CL 50 Gourmet, CL 52, CL 55, CL 60, CL 60 V.V., R 502, R 502 V.V., R 752 or R 752 V.V. Essential : CL 40, R 201 XL Ultra, R 211 XL, R 211 XL Ultra, R 301, R 301 Ultra, R 401, R 402, R402 V.V. Essential: Special CL 40





Except CL 40



D-CLEANING KIT



Reversible grid holder

- on 1 side Essential grids R 402 CL 40
 on 1 side Expert grids CL 50 CL 60 and
 - R 502 R 752




Dicing grid cleaning tool 5 mm, 8 mm and 10 mm

DISCS

Scraper tool

	Ref.	
Dicing grid cleaning tool	39881	



The green discs show the actual size

ESSENTIAL Series 1-4

STARTER PACK



	Ref.	
Slicer 2 mm to suit R 201, R 211, R 301, R 401, R 402 and CL 40	27555	
Slicer 4 mm to suit R 201, R 211, R 301, R 401, R 402 and CL 40	27566	

HEALTHCARE PACK



	Ref.
Dicing Equipment 12 x 12 x 12 mm to suit R 402 and CL 40	27298
Slicer 2 mm to suit R 201, R 211, R 301, R 401, R 402 and CL 40	27555
Slicer 4 mm to suit R 201, R 211, R 301, R 401, R 402 and CL 40	27566
Julienne 2 x 2 mm to suit R 201, R 211, R 301, R 401, R 402 and CL 40	27599
Wall mounted blade & disc holder to suit R 201, R 211, R 301, R 401, R 402 and CL 40	107810

EXPERT Series 5-7

PIZZA PACK



	Ref.	
Pizza Pack	2085	

BAKERY PACK



	Ref.	
Bakery Pack	2086	

EXPERT Series 5-7

CATERING PACK



EXPERT Series 5-7

RESTAURANT & CAFE PACK



INSTITUTION PACK




MULTICUT PACK OF 16 DISCS

Raw salad vegetables of every shape and size.

As healthy food guidelines evolve, school canteen cooks are being asked to provide more raw vegetables and salads. The National Healthy School Canteens Guidelines issued by the Department of Health in 2010 provide national guidance and training to help canteen managers across Australia to make healthier food and drink choices for school canteens. Fresh, in season fruit and vegetables are categorised as GREEN and should be the first choice on a school canteen menu.

The need to provide fresh fruit and vegetables provides canteen cooks with the perfect opportunity to offer new cuts and presentations for all their dishes:



BACK TO SUMMARY

DISCS

VEGETABLE PREPARATION MACHINES



THE WIDEST RANGE OF CUTS

Thanks to our range of Vegetable Preparation Machines, you can gain consistency and save hours in mise en place: slice, grate, julienne, ripple cut, brunoises, waffle cut, french fries, dice and even puree.

TABLE-TOP VEGETABLE PREPARATION MACHINES





More than 50 optional discs for slicing, ripple cutting, grating, chopping, french fries and julienne.

EXACTITUBE PUSHER

The secret of exclusive cuts! For slicing small and delicate ingredients such as chillis, gherkins, dry sausage, asparagus, spring onions, bananas, strawberries and grapes.



machine in action.

THE WIDEST RANGE OF CUTS

Robot-Coupe vegetable preparation machines have more than 50 discs to process not only fruit and vegetables but also cheese and sausage.





MADE IN HOUSE WITH ROBOT-COUPE

Prepare your own potato dishes and add that all important "Homemade" claim.





Although there is no legislation on the subject in Australia, it is commonly assumed that a homemade dish is prepared and cooked on the premises of the venue using raw products. Deep fried frozen chips, for example, would not be considered "Homemade".

Robot-Coupe offers many solutions for preparing homemade potato dishes with and without the skin:

Potato chips of every shape and size!



56 2022 Edition robot @ coupe*

BACK TO <u>SUMMARY</u>

MASHED POTATO FUNCTION CL 50, CL 52, CL 55, CL 60

• High output

Can produce up to 10 kg of delicious fresh mashed potato in just 2 minutes.


• Ergonomic

The extra large ergonomic hopper allows for the continuous processing of potatoes with as little handling as possible.

Versatile

In addition to the 50 existing ways of processing fruit and vegetables, you can also make puree.





The mashed potato attachment consists of:

- a feed hopper to handle large quantities of potatoes (for CL 50 and CL 50 Ultra only)
 a paddle
- a special Ø 3 mm or 6 mm grid
- a special puree ejection disc.

	Ref.
Mashed potato attachment Ø 3 mm (CL 50 and CL 50 Ultra) 1 + 2	28207
Mashed potato equipment Ø 3 mm 2	28208
Mashed potato attachment Ø 6 mm (CL 50 and CL 50 Ultra) $(1+2)$	28209
Mashed potato equipment Ø 6 mm 2	28210

TABLE-TOP VEGETABLE PREPARATION MACHINES



*Optional attachments





CL 50 Ultra Pizza





CL 50 Ultra Restaurants and Cafes



Restaurant and Cafe pack available for models CL 50 (excluding Gourmet).

CL 52



Single phase
1 speed
Mashed potato equipment*





Institution pack available for models CL 50 (excluding Gourmet).

TABLE-TOP VEGETABLE PREPARATION MACHINES









38

150 6

CL 40

Induction motor	\checkmark
Wattage	500 W
Voltage	Single phase
Speed	500 rpm
Feed hoppers	Half moon hopper Cylindrical hopper Ø 58 mm
Lid and bowl	Composite lid and stainless steel bowl
Motor base	Metal
Discs	Not included

Choose your model:

CL 40 Starter Pack	Ref.
CL 40 220-240V/50/1	24572
Slicer 2 mm	27555
Slicer 4 mm	27566
CL 40 Healthcare Pack	Ref.
CL 40 220-240V/50/1	24572
Dicing Equipment 12 x 12 x 12 mm	27298
Slicer 2 mm	27555
Slicer 4 mm	27566
Julienne 2 x 2 mm	27599
Wall mounted blade & disc holder	107810
CL 40 without disc	Ref.
CL 40 220-240V/50/1	24572

Complete disc collection page 40





CL 50

Induction motor	\checkmark
Wattage	550 W
Voltage	Single phase
Speed	375 rpm
Feed hoppers	Half moon hopper 2.2 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included
Lid and bowl	Metal
Motor base	Composite material
Discs	Not included



CL 50 Ultra

\checkmark

550 W
Single phase
375 rpm
Half moon hopper 2.2 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included
Metal
Stainless steel
Not included

Choose your model:



Scan this QR-Code to see the vegetable slicer in action.

CL 50 Asian Pack	Ref.
CL 50 220-240V/50/1	24443
Asian Pack - 5 discs	2088
CL 50 Restaurant & Cafe Pack	Ref.
CL 50 220-240V/50/1	24443
Restaurant & Cafe Pack - 5 discs	2089
CL 50 Institution Pack	Ref.
CL 50 220-240V/50/1	24443
Institution Pack - 5 discs	2090
CL 50 without disc	Ref.
CL 50 220-240V/50/1	24443

CL 50 Ultra Asian Pack	Ref.
CL 50 Ultra 220-240V/50/1	24469
Asian Pack - 5 discs	2088
CL 50 Ultra Restaurant & Cafe Pack	Ref.
CL 50 Ultra 220-240V/50/1	24469
Restaurant & Cafe Pack - 5 discs	2089
CL 50 Ultra Institution Pack	Ref.
CL 50 Ultra 220-240V/50/1	24469
Institution Pack - 5 discs	2090
CL 50 Ultra without disc	Ref.
CL 50 Ultra 220-240V/50/1	24469

Complete disc collection page 40



	CL 50 / CL 50 Ultra	
Options	Ref.	
Additional Exactitube pusher	49212	
Mashed potato attachment 3 mm	28207	
Mashed potato attachment 6 mm	28209	

Choose your options: VEG PREP MACHINES

TABLE-TOP VEGETABLE PREPARATION MACHINES



62	2022	Edition	robot	0	coupe
----	------	---------	-------	---	-------

BACK TO SUMMARY

Mashed potato attachment 3 mm

Mashed potato attachment 6 mm

28207

28209

CL 50 GOURMET Choosing excellence

3 brunoise discs 2 mm - 3 mm - 4 mm

 Competition
 Solution

 Cobot () Coupe
 Solution

 Cobot () Coupe
 Solution

 Cobot () Coupe
 Solution

CL 50 Gourmet

Induction motor	\checkmark
Wattage	500 W
Voltage	Single phase
Speed	375 rpm
Feed hoppers	Half moon hopper 1.6 L Cylindrical hopper Ø 58 mm and Ø 68 mm
Lid and bowl	Metal
Motor base	Stainless steel
Discs	Not included

Choose your model:







	Brui	noise
Options	Ref.	
Brunoise 2 x 2 x 2 mm	28174W	
Brunoise 3 x 3 x 3 mm	28175W	
Brunoise 4 x 4 x 4 mm	28176W	

4 waffle cut discs 2 mm - 3 mm - 4 mm - 6 mm



	Waffle cut	
Options	Ref.	
Waffle cut 2 mm	28198W	
Waffle cut 3 mm	28199W	
Waffle cut 4 mm	28177W	
Waffle cut 6 mm	28178W	

PARSLEY AND HERB KIT

2 inserts



3 mm parsley and herb kit including: 1 slicing disc 3 mm and 2 inserts to guide herbs during chopping.

	Ref.	
3 mm parsley kit	2399	

Designed to cut up large amounts of vegetables in no

CL 52



time at all. INNOVATION **HIGH PRECISION Cylindrical hopper EXTRA ERGONOMIC** - Ø 58 mm uniform cutting of long ingredients. Lever with assisted movement - Ø 39 mm to cut small fruit and = less effort for the operator vegetables such as chillis, gherkins, dry + increase throughput. sausage, asparagus, spring onions, bananas, strawberries, grapes, etc. with the Exactitube pusher. EXTRA LARGE ····· robot @ coupe The very wide opening of the hopper is designed to take up to 15 tomatoes at a time. CL 52 0 **E**) LATERAL EJECTION Space saving and convenient. Special cabbage tool for POWERFUL MOTOR better ejection. 750 W silent induction motor for durability. Stainless steel motor base for easy cleaning.





CL 52

Induction motor	\checkmark
Wattage	750 W
Voltage	Single phase
Speed	375 rpm
Feed hoppers	Full moon hopper 4.4 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included
Lid and bowl	Metal
Motor base	Stainless steel
Discs	Not included

Choose your model:





Choose your options:

Complete disc collection page 40

	CL 52
Options	Ref.
Additional Exactitube pusher	49221
3 mm mashed potato equipment	28208
6 mm mashed potato equipment	28210








VEGETABLE PREPARATION WORKSTATION

Especially designed for the preparation of large quantities of vegetables.



CL 55 2-tube feed head Straight and slanted tubes

CL 55 pusher feed-head (Surface area 227 sq.cm.) with built-in tube



THE WIDEST RANGE OF CUTS

Efficient, heavy duty, easy to use and clean, Robot-Coupe vegetable preparation workstations are designed for institutions, central kitchens, caterers and the agri-food industry.



VEGETABLE PREPARATION WORKSTATIONS







VEGETABLE PREPARATION WORKSTATIONS





CL 55 Pusher Feed-Head

Induction motor	\checkmark	
Wattage	750 W	1100 W
Voltage	Single phase	3 phase
Speed	375 rpm	375 rpm - 750 rpm
Feed-Heads	Full moon pusher feed head 4.4 L Cylindrical hoppers Ø 58 mm and Ø 39 mm, Exactitube pusher - Included	
Lid and bowl	Metal	
Motor base	Stainless steel	
Mobile stand	Stainless steel - Equipped with 2 wheels and brake	
Discs	Not included	
Choose	CL 55 Pusher Fee	ed-Head Ref.
your model:	CL 55 Pusher Feed-Head	1 220-240V/50/1 2258
	CL 55 Pusher Feed-Head	1 400V/50/3 2214

CL 55 2 Feed-Heads

 \checkmark

750 W	1100 W
Single phase	3 phase
375 rpm	375 rpm - 750 rpm

Stainless steel automatic feed tube Full moon pusher feed head 4.4 L Cylindrical hoppers Ø 58 mm and Ø 39 mm, Exactitube pusher - Included

Metal

Stainless steel

Stainless steel - Equipped with 2 wheels and brake

Not included

CL 55 2 Feed-Heads	Ref.
CL 55 2 Feed-Heads 220-240V/50/1	2257
CL 55 2 Feed-Heads 400V/50/3	2211

Complete disc collection page 40



CL 55 ACCESSORIES



Automatic feed-head Ref. 28170



4-tubes feed-head 2 Ø 50 mm tubes 2 Ø 70 mm tubes **Ref.** 28161



Mashed potato kit Ref. 28208 Ø 3 mm Ref. 28210 Ø 6 mm



Pusher feed-head Ref. 39673



Straight and slanted tubes Ref. 28155



Exactitube pusher CL 52 - CL 55 - CL 60 **Ref.** 49221



3-height adjustable trolley GN1x1 Delivered without pan Ref. 49128



Storage trolley for 16 discs, 8 attachments and 3 feed heads, delivered with 1 GN1x1 pan (attachments not included) Ref. 49132









CL 55 Workstation

Induction motor	\checkmark		
Wattage	750 W	1100 W	
Voltage	Single phase	3 phase	
Speed	375 rpm	375 rpm - 750 rpm	
Feed heads	Stainless steel automatic feed tube Full moon pusher feed head 4.4 L Cylindrical hoppers Ø 58 mm and Ø 39 mm, Exactitube pusher - Included		
Lid and bowl	Metal		
Motor base	Stainless steel		
Accessories	Stainless steel mobile stand - Equipped with 2 wheels with brake - Included Adjustable trolley GN1x1, 3 heights + 3 GN1x1 pans - Included 3 mm mashed potato equipment - Included		
	· · · · · · · · · · · · · · · · · · ·		

CL 55 Workstation	Ref.	
CL 55 Workstation 220-240V/50/1	2295	
CL 55 Workstation 400V/50/3	2287	

A COMPLETE COLLECTION OF ATTACHMENTS INCLUDED!

Automatic feed-head


To process large quantities of tomatoes, onion, potatoes, etc.



Pusher feed-head

Designed for bulky vegetables such as cabbage and celery.

MultiCut pack of 16 discs 16 discs included.



Exactitube pusher

For slicing small sized fruit and vegetables such as chillis, gherkins, dry sausage, asparagus, spring onions, bananas, strawberries and grapes.



3 mm mashed potato equipment

To easily produce large quantities of quality, delicious mashed potato.



GN1x1 adjustable trolley To transport, load and store accessories 2 GN1x1 pans provided.



Production mode

VEGETABLE PREPARATION WORKSTATIONS





CL 60 Pusher Feed-Head

Induction motor	\checkmark
Wattage	1500 W
Voltage	3 phase
Speed	375 rpm - 750 rpm
Feed hoppers	Full moon pusher feed-head 4.9 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included
Bowl	Stainless steel
Motor base	Stainless steel
Equipped with	1 adjustable foot for all floor types 2 wheels
	1 stainless steel container for cutting attachments

CL 60 2 Feed-Heads


.

\checkmark
1500 W
3 phase
375 rpm - 750 rpm
Stainless steel automatic feed tube
Full moon pusher feed-head 4.9 L
Cylindrical hopper Ø 58 mm and Ø 39 mm,
Exactitube pusher - Included
Stainless steel
Stainless steel
1 adjustable foot for all floor types
2 wheels
1 stainless steel container for cutting attachments
Not included

Choose your model:









Scan this QR-Code to see the vegetable preparation machine in action.





CL 60 2 Feed-Heads 400V/50/

CL 60 2 Feed-Heads	Ref.	
2 Feed-Heads 400V/50/3	2325	

CL 60 ACCESSORIES



Automatic feed-head With feeding tray Ref. 39681



4 tubes feed-head 2 Ø 50 mm tubes 2 Ø 70 mm tubes **Ref.** 28162



Mashed potato kit Ref. 28208 Ø 3 mm Ref. 28210 Ø 6 mm



Pusher feed-head Ref. 39680



Straight and slanted tubes Ref. 28157




Exactitube pusher CL 52 - CL 55 - CL 60 **Ref.** 49221



Ergo mobile trolley Supplied without pan. Designed to take 3 GN1x1 gastronorm pans **Ref.** 49066



Storage trolley for 16 discs, 8 attachments and 3 feed heads, delivered with 1 GN1x1 pan (attachments not included) Ref. 49132







CL 60 Workstation



STORAGE TROLLEY



Adjustable leg so it can be adapted to different floor heights.



CL 60 Workstation

Induction motor	\checkmark
Wattage	1500 W
Voltage	3 phase
Speed	375 rpm - 750 rpm
Feed heads	Stainless steel automatic feed head Full moon pusher feed head 4.9 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included 4 tubes: 2 Ø 50mm tubes and 2 Ø 70mm tubes
Lid and bowl	Metal
Motor base	Stainless steel
Equipped with	 adjustable foot for all floor types wheels 1 stainless steel container for cutting attachments.
Accessories	Ergo mobile trolley with 3 GN1x1
	gastronorm pans - Included Storage trolley with 1 GN1x1 gastronorm pan - Included 3 mm mashed potato equipment - Included

CL 60 Workstation	Ref.	
CL 60 Workstation 400V/50/3	2300	



Scan this QR-Code to see the vegetable preparation machine in action.

A COMPLETE COLLECTION OF ATTACHMENTS INCLUDED!

Automatic feed-head

To process large quantities of tomatoes, onion, potatoes, etc.

Pusher feed-head

Designed for bulky vegetables such as cabbage and celery.

4 tubes feed-head

Designed for long vegetables such as cucumbers and zucchini.



Exactitube pusher

For cutting small sized fruit and vegetables such as chillis, gherkins, dry sausage, asparagus, spring onions, bananas, strawberries and grapes.


3 mm mashed potato equipment

To easily produce large quantities of quality, delicious mashed potato.





MultiCut pack of 16 discs 16 discs included.



Storage trolley

To store and transport all the attachments! Tray for 16 discs and 8 attachments. GN1X1 pan for kitchen utensils.



Ergo Mobile Trolley

To transport, load and store accessories. 3 GN1x1 gastronorm pans provided.



CUTTER MIXERS




THE MUST FOR PASTRY AND KITCHEN CHEFS!

With their bowl-base twin-blade assembly - a Robot-Coupe innovation - they are the ideal assistant in your kitchen. Whether small or large quantitites, all your preparations can be made by simply pressing a button: emulsions and sauces; mince meat and fish; chop onions, herbs and spices; grind nuts, chocolate or praline; knead dough.

TABLE TOP CUTTER MIXERS





R-MIX FUNCTION R-Mix®

On R 5 V.V., R 7 V.V., R 8 V.V., R 10 V.V.

• To mix delicate ingredients without chopping.

• The **R-Mix**[®] function is designed for reverse rotation mixing at **variable speeds from 60 to 500 rpm** to incorporate whole pieces of meat, crayfish tails, brunoises and diced vegetables to pâtés and terrines, whole raisins to buns, etc.



TABLE-TOP CUTTER MIXERS



20 100 3.5 kg	20 150 5 kg	50 200 6 kg		
VA	RIABLE SPEED FROM 300 TO 3500 I	RPM		
R 7 V.V.	R 8 V.V.	R 10 V.V.		
robot, * cospor	R L	the second secon		
• Single phase - 15 amp • R-Mix®	 Single Phase - 32 amp R-Mix[®] R-Vac[®] 	 Single Phase - 32 amp R-Mix[®] R-Vac[®] 		
	2 SPEEDS 1500 and 3000 rpm			
	R 8	R 10		

R 8 R 10 R 10 R 10 R 10 I 1.5 L

R-Vac[®]: Optional vacuum function R-Mix[®]: Reverse rotation blending function

PERFORMANCE RATES

Models		Maximum capacity			Number	
	Coarse chopping (up to)	Emulsions (up to)	Pastry/dough* (up to)	Grinding (up to)	of covers	Time
R 2	0.8 kg	1 kg	0.5 kg	0.3 kg	10 to 20	
R 3	1 kg	1.5 kg	1 kg	0.5 kg	10 to 30	
R 4 / R 4 V.V.	1.5 kg	2.5 kg	1.5 kg	0.7 kg	10 to 50	
R 5 / R 5 V.V.	2.2 kg	3.2 kg	2.2 kg	1.1 kg	20 to 80	1 to 4 minutes
R 7 V.V.	2.7 kg	3.8 kg	2.7 kg	1.7 kg	20 to 100	minutes
R 8 / R 8 V.V.	3 kg	5 kg	4 kg	2 kg	20 to 150	
R 10 / R 10 V.V.	4 kg	6 kg	5 kg	3 kg	50 to 200	

*Amount of raised dough with 60% hydration

Find all our floor standing models on page 92

CUTTER



R 2

Induction motor	\checkmark
Wattage	550 W
Voltage	Single phase
Speed	1500 rpm
Pulse	✓
Bowl	2.9 L stainless steel
Blade	Stainless steel smooth blade - Included



R 3

\checkmark
650 W
Single phase
1500 rpm
\checkmark
3.7 L stainless steel
Stainless steel smooth blade - Included

Choose your model:

R 2	Ref.	R 3	Ref.
R 2 220-240V/50/1	22108	R 3 220-240V/50/1	22384

Choose your options:



	R 2		R 3	
Options	Ref.		Ref.	
Coarse serrated blade Especially for grinding & kneading	27138		27288	
Fine serrated blade Especially for herbs & spices	27061		27287	
Additional smooth blade	27055		27286	
Wall blade holder	107810		107810	





R 4

Induction motor	\checkmark
Wattage	700 W
Voltage	Single phase
Speed	1500 rpm
Pulse	✓
Motor base	Metal
Bowl	4.5 L stainless steel
Blade	Stainless steel smooth blade - Included



R 4 V.V.

\checkmark
1000 W
Single phase
300 to 3500 rpm
✓
Metal
4.5 L stainless steel
Stainless steel smooth blade - Included

Choose	R 4	Ref.	R 4 V.V.	Ref.
your mouel.	R 4 220-240V/50/1	22435	R 4 V.V. 220-240V/50/1	22413

		R 4 all models
Choose your options:	Options	Ref.
	Coarse serrated blade Especially for grinding & kneading	27346
	Fine serrated blade Especially for herbs & spices	27345
	Additional smooth blade	27344
7	Wall blade holder	107810



TABLE-TOP CUTTER MIXERS



R 5

Induction motor	\checkmark
Wattage	750 W
Voltage	Single phase
Speed	1500 rpm
Timer	\checkmark
Pulse	\checkmark
Motor base	Metal
Bowl	5.9 L stainless steel
Blade	Stainless steel smooth blade - Included
R-Mix [®]	-



R 5 V.V.

\checkmark
1 500 W
Single phase - 15amp
300 to 3500 rpm
✓
✓
Metal
5.9 L stainless steel
Stainless steel smooth blade - Included
\checkmark

Choose	R 5	Ref.	R 5 V.V.	Ref.
your model:	R 5 220-240V/50/1	24611	R 5 V.V. 220-240V/50/1	24621

		R 5 all models
Choose your options:	Options	Ref.
your options.	Coarse serrated blade Especially for grinding & kneading	27305
. 8	Fine serrated blade Especially for herbs & spices	27304
	Additional smooth blade	27303
NE	Scraper arm	49552



R 7 V.V.

Induction motor	\checkmark
Wattage	1 500 W
Voltage	Single phase - 15 amp
Speed	300 to 3500 rpm
Timer	\checkmark
Pulse	✓
Motor base	Metal
Bowl	7.5 L stainless steel
Blade	All stainless steel detachable, adjustable smooth blade assembly - Included
R-Mix [®]	\checkmark

Choose your model:

R 7 V.V.	Ref.
R 7 V.V. 230/50-60/1	24710

	R 7	V.V.
Options	Ref.	
Stainless steel coarse serrated blade Especially for grinding & kneading	27308	
Stainless steel fine serrated blade Especially for herbs & spices	27307	
Additional stainless steel smooth blade	27306	
Lower coarse serrated blade	49162	
Upper coarse serrated blade	49163	
Lower fine serrated blade	49164	
Upper fine serrated blade	49165	
Lower smooth blade	49160	
Upper smooth blade	49161	
Scraper arm	49552	







TABLE-TOP CUTTER MIXERS



R 8

Induction motor	\checkmark
Wattage	2200 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	\checkmark
Bowl	8 L stainless steel
Blade	All stainless steel detachable, adjustable 2 smooth blade assembly - Included
DMix®	

R 8

R	8	V.	V.
	_		

robot, coupe

Rakk

✓

2200 W Single phase

300 to 3500 rpm

\checkmark

√

8 L stainless steel

All stainless steel detachable, adjustable 2 smooth blade assembly - Included

R-Mix[®]

Choose your model:



Choose your options:

	R 8 400V/50/3
Scan the (QR-Code to
	itter mixers
in action.	

R 8 V.V.	Ref.	
R 8 V.V. 220-240V/50-60/1	21285	
For Australian power requirements it is advisable		

For Australian power requirements it is advisa to install a 32 amp isolator switch. Please consult a qualified electrician.

	R 8 all models	
Options	Ref.	
Stainless steel coarse serrated 2-blade assembly Especially for grinding & kneading	27383	
Stainless steel fine serrated 2-blade assembly Especially for herbs & spices	27385	
Additional stainless steel 2 smooth blade assembly	27381	
Coarse serrated blade	59281	
Fine serrated blade	59282	
Smooth blade	59280	
R-VAC® vacuum system	29996	

Ref.

21291



Optional additional mini bowl	Ref.	
3.5 litre stainless steel bowl R8 stainless steel smooth blade	27374	
Stainless steel coarse serrated blade	27107	
Additional stainless steel smooth blade	27106	
Coarse serrated blade	101801S	
Smooth blade	101800S	









R 10

Induction motor	\checkmark
Wattage	2600 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	✓
Bowl	11.5 L stainless steel
Blade	All stainless steel detachable, adjustable 3 smooth blade assembly - Included
R-Mix [®]	-

R 10 V.V.

\checkmark

2600 W Single phase 300 to 3500 rpm

\checkmark

 \checkmark

Ref.

21391

11.5 L stainless steel All stainless steel detachable, adjustable 3 smooth blade assembly - Included

Choose your model:	R 10
your mouel.	R 10 400V/50/3

R 10 V.V.	Ref.
R 10 V.V. 220-240V/50-60/1	21385

For Australian power requirements it is advisable to install a 32 amp isolator switch. Please consult a qualified electrician.

Choose your options:



	R 10 all model	R 10 all models	
Options	Ref.		
Stainless steel coarse serrated 3 blade assembly Especially for grinding & kneading	27384		
Stainless steel fine serrated 3 blade assembly Especially for herbs & spices	27386		
Additional stainless steel 3 smooth blade assembly	27382		
Coarse serrated blade	59281		
Fine serrated blade	59282		
Smooth blade	59280		
R-VAC [®] vacuum system	29996		



Optional additional mini bowl	Ref.	
4.5 litre stainless steel bowl R 10-R 15 stainless steel smooth blade	27375	
Stainless steel coarse serrated blade	27107	
Additional stainless steel smooth blade	27106	
Coarse serrated blade	101801S	
Smooth blade	101800S	

FLOOR STANDING VERTICAL CUTTER MIXERS

0 ::

See through watertight lid that is locked into position in a single movement. **Lid and seal can be removed** simply and quickly.

For perfect visibility during operation.

LID WIPER

CONTROL PANEL

0 to 15 minute **timer**, **stainless steel flush mounted control buttons** and **pulse** control for greater cutting precision.

BOWL LOCKING LEVER

Ergonomic lever to tilt the bowl at various angles, including horizontally.

MINNOVATION

STAINLESS STEEL BOWL-BASE TWIN-BLADE ASSEMBLY

New Robot-Coupe patented blade profile for optimum cutting quality.

STAINLESS STEEL FRAME

All stainless steel with 3 sturdy built-in legs to ensure total stability, minimum space requirements and easy cleaning.



WHEELS INCLUDED

3 retractable wheels for easy moving and cleaning.

STAINLESS STEEL BOWL Tiltable, removable bowl to make it easy to empty.

3 BLADES FOR BEST RESULTS



VACUUM FUNCTION R-Vac®

The **R-Vac**[®] is designed for vacuum processing to obtain results of incomparable quality for all delicate preparations such as fish mousse, fine stuffing, vegetable terrine, foie gras block terrine, ganache, etc.

The advantages of vacuum processing:

- Better preservation
- Better presentation
- Better development of aromas and flavours
- Better cooking



FLOOR STANDING VERTICAL CUTTER MIXERS



*Quantities processed at the same time

PERFORMANCE RATES

		Maximum capacity				
Models	Coarse chopping (up to)	Emulsions (up to)	Pastry/dough* (up to)	Grinding (up to)	of covers	Time
R 15	6 kg	9 kg	7.0 kg	7.0 kg	50 to 250	
R 20	8 kg	12 kg	10.0 kg	10.0 kg	50 to 300	
R 23	10 kg	14 kg	11.5 kg	11.5 kg	100 to 400	1 to 4
R 30	12 kg	17 kg	14.0 kg	14.0 kg	100 to 500	minutes
R 45	18 kg	27 kg	22.5 kg	22.5 kg	200 to 1 000	
R 60	25 kg	36 kg	30.0 kg	30.0 kg	300 to 3 000	

*Amount of raised dough with 60% hydration

92 2022 Edition robot @ coupe*

Find all our table-top models on page 82





R 15

Induction motor	\checkmark	\checkmark
Wattage	3000 W	4400 W
Voltage	3 phase	3 phase
Speed	1500 rpm - 3000 rpm	1500 rpm - 3
Pulse	✓	✓
Bowl	15 L stainless steel	20 L stainles
Blade	All stainless steel detachable, adjustable 3 smooth blade assembly - Included	All stainless 3 smooth bla

√
4400 W
3 phase
1500 rpm - 3000 rpm
\checkmark
20 L stainless steel
All stainless steel detachable, adjustable 3 smooth blade assembly - Included

Choose	R 15	Ref.	R 20	Ref.
your mouer.	R 15 400V/50/3	51491	R 20 400V/50/3	51591

Choose your options:

	R 15 /	R 20
Options	Ref.	
Stainless steel coarse serrated 3 blade assembly Especially for grinding & kneading	57098	
Stainless steel fine serrated 3 blade assembly Especially for herbs & spices	57099	
Additional stainless steel smooth 3 blade assembly	57097	
Coarse serrated blade	59393	
Fine serrated blade	59359	
Smooth blade	59392	
R-VAC® vacuum system	29996	



	R	15
Optional additional mini bowls	Ref.	
4.5 litre stainless steel bowl R15 stainless steel smooth blade	27375	
Stainless steel coarse serrated blade	27107	
Additional stainless steel smooth blade	27106	
Coarse serrated blade	101801S	
Smooth blade	101800S	



R 23

Induction motor	\checkmark
Wattage	4500 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	✓
IP85 control panel with digital timer	✓
Bowl	23 L stainless steel
Lid wiper	✓
Blade	All stainless steel detachable, adjustable 3 smooth blade assembly - Included
2 rotractable wheele	1

R 30

oupe

\checkmark
5400 W
3 phase
1500 rpm - 3000 rpm
✓
\checkmark
28 L stainless steel
\checkmark
All stainless steel detachable, adjustable 3 smooth blade assembly - Included
\checkmark

-

3 retractable wheels 🗸

Choose your model:



	R 23	Ref.	R 30	Ref.
	R 23 400V/50/3	51331C	R 30 400V/50/3	52331C
Scan the Q to see the in action.	IR-Code cutter mixers			

Choose your options:

	R 23	R 30
Options	Ref.	Ref.
Stainless steel coarse serrated 3 blade assembly Especially for grinding & kneading	57070	57075
Stainless steel fine serrated 3 blade assembly Especially for herbs & spices	57072	57077
Additional stainless steel smooth 3 blade assembly	57069	57074
Coarse serrated blade	118294S	118286S
Fine serrated blade	118292S	118241S
Smooth blade	118217S	117950S
3-height GN1x1 adjustable trolley	49128	49128

FLOOR STANDING VERTICAL CUTTER MIXERS





CUTTER MIXERS

R 45

Induction motor	\checkmark
Wattage	10000 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	\checkmark
IP85 control panel with digital timer	✓
Bowl	45 L stainless steel
Lid wiper	✓
Blade	All stainless steel detachable, adjustable 3 smooth blade assembly - Included

3 retractable wheels \checkmark

R 60

\checkmark
11000 W
3 phase
1500 rpm - 3000 rpm
✓
\checkmark
60 L stainless steel
\checkmark
All stainless steel detachable, adjustable 3 smooth blade assembly - Included
✓

Choose your model:	R 45	Ref.	R 60	Ref.
your mouel.	R 45 400V/50/3	53331C	R 60 400V/50/3	54331C

Choose your options:

	R 4	5 R 6	60
Options	Ref.	Ref.	
Stainless steel coarse serrated 3 blade assembly Especially for grinding & kneading	57082	57092	
Stainless steel fine serrated 3 blade assembly Especially for herbs & spices	57084	57095	
Additional stainless steel smooth 3 blade assembly	57081	57091	
Coarse serrated blade	118287S	118290S	
Fine serrated blade	118243S	118245S	
Smooth blade	117952S	117954S	
3-height GN1x1 adjustable trolley	49128	49128	

ROBOT COOK® COOKING CUTTER BLENDER





THE 1st PROFESSIONAL COOKING CUTTER BLENDER!

The Robot Cook[®] emulsifies, grinds, mixes, chops, blends and kneads to perfection. The heating temperature is variable, up to 140°C, and is accurate to the nearest degree. The large capacity bowl produces sufficient quantities for professional needs.

ROBOT COOK® THE KITCHEN ASSISTANT FOR CHEFS

Clever: Watertight lid including a no-splash safety function. Anti-vapour lid wiper so you can keep an eye on your preparation.



Ingenious: Special system to hold the blade in place so the bowl can be emptied safely.

Hygienic: All parts in contact with food can be easily removed and are dishwasher safe.

Quiet: In the midst of the general hustle and bustle of the kitchen, Chefs appreciate how quiet it is.

Practical: The opening in the lid means ingredients can be added to the bowl without having to stop the appliance.

Efficient: Bowl scraper arm for ultra-fine, homogeneous preparations.

Functional: Large capacity 3.7 litre bowl for producing professional quantities.

Powerful: The powerful Robot Cook[®] features on a heavy duty commercial grade induction motor.

High-precision: Variable heating capacity up to 140°C, accurate to the nearest degree.



obot Cook

robot a coupe

ROBOT COOK® COOKING CUTTER BLENDER





ROBOT COOK®

Induction motor	\checkmark
Wattage	1800 W
Voltage	Single phase
Speed	 Variable speed from 100 to 3500 rpm High-speed turbo of 4500 rpm R-Mix blend speed 100 to 500 rpm Intermittent slow speed blade rotation every 2 seconds
Heating temperature	Up to 140°
Pulse	✓
Bowl	3.7 L stainless steel
Scraper arm	\checkmark
Wall mounted blade holder	✓
Blades	Fine serrated blade for blender function

Included Smooth blade for cutter function - Included

Choose your model:



ROBOT COOK®	Ref.	
Robot Cook 220-240V/50/1	43002R	
Robot Cook 220-240V/50/1 + additional bowl assembly	2091	

Scan the QR-Code to see the Robot $\operatorname{Cook}^{\circledast}$ in action.

Choose your options:

Options	Ref.	
Addtional bowl assembly with fine serrated blade	39854	
Additional smooth blade for cutter function	49691	
Additional fine serrated blade for blender function	39691	



CHOP



BLEND



GRIND





• KNEAD



BLIXER®



THE SOLUTION FOR TEXTURE MODIFIED FOOD

The Blixer[®], specifically designed to assist the healthcare sector with the preparation of texture modified meals for their residents.

All foods, whether raw or cooked, sweet or savoury, whether entrees or mains, dessert or cheese, can be processed to various texture levels to suit everyone at the table.

TABLE-TOP BLIXER®



Fine serrated blade.

WHY HAVE A SECOND PROCESSING BOWL?

• Better organisation in the kitchen

Reduces waiting time between 2 wash-ups








SOBE MEALTHCARE SECTOR - TEXTURE MODIFIED MEALS




DUO OF RAW RED CABBAGE AND CELERIAC



SALMON FILET AND CABBAGE



CAMEMBERT AND WHOLEMEAL BREAD



FRESHLY GRATED CARROTS



VEAL BLANQUETTE



RAW GRANNY SMITH APPLE COMPOTE

HOW TO CHOOSE YOUR BLIXER®

1 > Calculate the total weight of the texture-modified portions required.

Ave	rage portion	Number of portions required	Total weight	Number of 200 g portions
Entree Meat / fish Vegetables / Carbs Dessert	80 g 100 g 200 g 80 g	XPortions =XPortions =XPortions =XPortions =		Min Max

2> Refer to the indications of the amounts processed per operation given in the product description.

RESTAURANTS - GASTRONOMY

It didn't take long for traditional and Asian food chefs to adopt the Blixer[®] for all their preparations:

Emulsions, appetizers, tapenade, hummus, taramasalata, pesto, etc.








Dry grinding, special "powders" for dry and dehydrated foods









PERFORMANCE RATES

Models	Quantities processed (kg)			Number
	Bowl capacity (litres)	Min	Max	of 200 g portions
Blixer [®] 2	2.9	Single portion model		
Blixer [®] 3	3.7	0.3	2	2 to 10 😓
Blixer [®] 4 - 4 V.V.	4.5	0.4	3	2 to 15 😓
Blixer® 5 - 5 V.V.	5.9	0.5	3.8	3 to 20 😓
Blixer [®] 7 V.V.	7.5	0.6	4.8	3 to 25 😓
Blixer® 8 - 8 V.V.	8	1	5.5	5 to 28 😓
Blixer [®] 10 - 10 V.V.	11.5	2	6.5	10 to 33 ᠵ

Find all our floor standing models on page 114



Blixer[®] 2

Induction motor	\checkmark
Wattage	700 W
Voltage	Single phase
Speed	3000 rpm
Pulse	\checkmark
Motor base	Composite material
Bowl	2.9 L stainless steel
Watertight lid	\checkmark
Blixer [®] arm	\checkmark
Blade	Stainless steel fine serrated blade with removable cap - Included
Number of 200 g portions	Single portion



Blixer[®] 3

\checkmark
750 W
Single phase
3000 rpm
\checkmark
Composite material
3.7 L stainless steel
\checkmark
\checkmark
Stainless steel fine serrated blade with removable cap - Included
2-10

Choose your model:



Scan the QR Code to see the Blixer® in action.

Blixer [®] 2	Ref.	Blixer [®] 3	Ref.
Blixer 2 220-240V/50/1	33231	Blixer 3 220-240V/50/1	33199
Blixer 2 220-240V/50/1 + additional bowl assembly	2092	Blixer 3 220-240V/50/1 + additional bowl assembly	2093

Choose your options:

	Blixer [®] 2	Blixer [®] 3
Options	Ref.	Ref.
Additional bowl assembly: bowl, fine serrated blade, lid and ${\sf Blixer}^{\scriptscriptstyle (\!$	27369	27337
Additional fine serrated blade	27370	27447
Coarse serrated blade	27371	27448



Induction motor	\checkmark
Wattage	900 W
Voltage	Single phase
Speed	3000 rpm
Pulse	\checkmark
Motor base	Metal
Bowl	4.5 L stainless steel
Watertight lid	\checkmark
Blixer [®] arm	\checkmark
Blade	Stainless steel fine serrated blade with removable cap - Included
Number of 200 g portions	2-15



Blixer[®] 4 V.V.

\checkmark
1100 W
Single phase
300 to 3500 rpm
\checkmark
Metal
4.5 L stainless steel
\checkmark
\checkmark
Stainless steel fine serrated blade with removable cap - Included

2-15

Choose your model:



 Blixer® 4
 Ref.

 Blixer 4 220-240V/50/1
 33212

 Blixer 4 220-240V/50/1
 2094

 + additional bowl assembly
 2094

Blixer [®] 4 V.V.	Ref.
Blixer 4 V.V. 220-240V/50/1	33282
Blixer 4 V.V. 220-240V/50/1 + additional bowl assembly	2095

Scan the QR Code to see the Blixer $\ensuremath{^{\textcircled{\$}}}$ in action.

Options	Ref.
Additional bowl assembly: bowl, fine serrated blade, lid and Blixer® arm	27338
Additional fine serrated blade	27449
Coarse serrated blade	27450

Choose your options:



Induction motor	\checkmark
Wattage	1500 W
Voltage	Single phase - 10 amp
Speed	3000 rpm
Timer	\checkmark
Pulse	\checkmark
Motor base	Metal
Bowl	5.9 L stainless steel
Watertight lid	\checkmark
Blixer [®] arm	\checkmark
Blade	Stainless steel fine serrated blade with removable cap - Included
Number of 200 g portions	3-20



Blixer[®] 5 V.V.

\checkmark
1500 W
Single phase - 15 amp
300 to 3500 rpm
\checkmark
\checkmark
Metal
5.9 L stainless steel
\checkmark
\checkmark
Stainless steel fine serrated blade with removable cap - Included
3-20

Choose your model:

Blixer [®] 5	Ref.
Blixer 5 230V/50-60/1	33252
Blixer 5 230V/50-60/1 + additional bowl assembly	2067

Blixer [®] 5 V.V.	Ref.
Blixer 5 V.V. 230V/50-60/1	33264
Blixer 5 V.V. 230V/50-60/1 + additional bowl assembly	2099

Choo	se
your	options:

	Blixer [®] 5 all models	
Options	Ref.	
Additional bowl assembly: bowl, fine serrated blade, lid and Blixer® arm	27322	
Additional fine serrated blade	27310	
Coarse serrated blade	27311	



Blixer[®] 7 V.V.

Induction motor	\checkmark
Wattage	1500 W
Voltage	Single phase - 15 amp
Speed	300 to 3500 rpm
Timer	\checkmark
Pulse	\checkmark
Motor base	Metal
Bowl	7.5 L stainless steel
Watertight lid	\checkmark
Blixer [®] arm	\checkmark
Blade	Stainless steel fine serrated blade with removable cap - Included
Number of 200 a	3-25

Number of 200 g 3-25 portions

Choose your model:



Scan the QR Code


Scan the QR Code to see the Blixer® in action.

Choose your options:

Blixer® 7 V.V.	Ref.
Blixer 7 V.V. 230V/50-60/1	33296
Blixer 7 V.V. 230V/50-60/1 + additional bowl assembly	2072

	Blixer® 7 V.V.	
Options	Ref.	
Additional accessory: bowl, fine serrated blade, lid and Blixer® arm	27323	
Additional composite blade assembly with stainless steel fine-serrated blades	27316	
Composite blade assembly with stainless steel coarse-serrated blades	27317	
All stainless steel fine-serrated blade	27313	
All stainless steel coarse-serrated blade for grinding	27314	
Lower fine-serrated blade	49166	
Upper fine-serrated blade	49167	
Lower coarse-serrated blade	49168	
Upper coarse-serrated blade	49169	

BACK TO SUMMARY





NORMAL TEXTURE



MODIFIED TEXTURE





Induction motor	\checkmark	`
Wattage	2200 W	2
Voltage	3 phase	S
Speed	1500 rpm - 3000 rpm	З
Pulse	\checkmark	
Bowl	8 L stainless steel	8
See-through watertight lid	\checkmark	1
Removable Blixer [®] arm	\checkmark	1
Blade	All stainless steel detachable adjustable fine serrated blade assembly - Included	/ s
Number of 200 g portions	5-28	5



Blixer[®] 8 V.V.

\checkmark
2200 W
Single Phase - 32 Amp
300 to 3500 rpm
\checkmark
8 L stainless steel
\checkmark
\checkmark
All staipless staal datashable adjustable fina
All stainless steel detachable adjustable fine serrated blade assembly - included

All stainless steel detachable adjustable fine serrated blade assembly - Included 5-28

Choose your model:

Blixer® 8 Blixer 8 400V/50/3

Blixer [®] 8 V.V.	Ref.
Blixer 8 V.V. 220-240V/50/1	21305
For Australian power requirements	it is advisable

to install a 32 amp isolator switch. Please consult a qualified electrician.

		Blixer [®] 8 all models	
Choose your options:	Options	Ref.	
your options.	Additional accessory: bowl, fine serrated blade, lid and Blixer® arm	27387	
	Additional stainless steel fine serrated blade	27378	
	Fine serrated blade	59282	

Ref.

21311



Induction motor	\checkmark
Wattage	2600 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	\checkmark
Bowl	11.5 L stainless steel
See-through watertight lid	\checkmark
Removable Blixer® arm	\checkmark
Blade	All stainless steel detachable adjustable fine serrated 3 blade assembly - Included
Number of 200 g portions	10-33

Blixer[®] 10 V.V.

\checkmark
2600 W
Single Phase - 32 Amp
300 to 3500 rpm
\checkmark
11.5 L stainless steel
\checkmark
\checkmark

All stainless steel detachable adjustable fine serrated 3 blade assembly - Included 10-33

Choose your model:

Choose your options:
 Blixer® 10
 Ref.

 Blixer 10 400V/50/3
 21411

Blixer [®] 10 V.V.	Ref.	
Blixer 10 V.V. 220-240V/50/1	21405	

For Australian power requirements it is advisable to install a 32 amp isolator switch. Please consult a qualified electrician.

	Blixer [®] 10 all models	
Options	Ref.	
Additional bowl assembly: bowl, fine serrated blade, lid and Blixer® arm	27388	
Additional stainless steel fine serrated blade	27378	
Fine serrated blade	59282	

FINGER FOODS

NORMAL TEXTURE

MODIFIED TEXTURE



FLOOR-STANDING

INNOVATION

BLIXER[®] ARM To improve turbulence and thus produce finer-textured preparations.



CONTROL PANEL

0 to 15 minute **timer**, stainless steel flush-mounted control buttons and **pulse** control for greater cutting precision.

See through watertight lid requiring a single movement to lock it into position. **Lid and seal can be removed** simply and quickly.

···LID WIPER For perfect visibility during operation.

BOWL LOCKING LEVER Ergonomic lever to tilt the bowl at various angles, including horizontally.

BOWL-BASE TWIN-BLADE ------ASSEMBLY A Robot-Coupe® exclusivity to obtain a perfectly smooth consistency, even with small quantities.

STAINLESS STEEL FRAME

All stainless steel with 3 sturdy built in legs to ensure total stability, minimum space requirements and easy cleaning.



WHEELS INCLUDED 3 retractable wheels for easy moving and cleaning.

11


MINNOVATION

STAINLESS STEEL BOWL Tiltable, removable bowl, a Robot-Coupe exclusivity. Capacity: 23, 28, 45 or 60 litres, depending on the model.


S C C M HEALTHCARE SECTOR - TEXTURE MODIFIED MEALS




DUO OF RAW RED CABBAGE AND CELERIAC




CUCUMBER AND TOMATO VARIATION




WHITE FISH AND RADISH QUENELLES



STEAK AND POTATO GRATIN



CAMEMBERT AND WHOLEMEAL BREAD



LEMON TART

PERFORMANCE RATES

Models	Quan	Number		
	Bowl capacity (litres)	Min	Мах	of 200 g portions
Blixer [®] 15	15	3	10	15 to 50 📎
Blixer [®] 20	20	3	13	15 to 65 😓
Blixer [®] 23	23	4	15	20 to 75 📎
Blixer [®] 30	28	4	20	20 to 100 📎
Blixer [®] 45	45	6	30	30 to 150 📎
Blixer [®] 60	60	6	45	30 to 225 📎

FLOOR-STANDING BLIXER® Number of 200 g portions Min 20 15 15 50 65 75 Max Quantities processed per operation 3 to 10 kg 3 to 13 kg 4 to 15 kg 2 SPEEDS 1500 and 3000 rpm Blixer[®] 15 Blixer[®] 20 Blixer[®] 23 15 L 20 L 23 L 3 phase · 3 phase · 3 phase Number of 200 g portions Min 30 20 30 Max 100/ 150 225 Quantities processed per operation 4 to 20 kg 6 to 30 kg 6 to 45 kg 2 SPEEDS 1500 and 3000 rpm Blixer[®] 60 Blixer[®] 30 Blixer[®] 45 28 L 45 L 60 L OUDE OUDY

• 3 phase

Find all our table-top models on page 104

114 2022 Edition robot @ coupe*

• 3 phase

· 3 phase



Induction motor	\checkmark
Wattage	3000 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	\checkmark
Bowl	15 L stainless steel
See-through watertight lid	\checkmark
Removable Blixer® arm	\checkmark
Blade	All stainless steel detachable adjustable fine serrated 3 blade assembly - Included
Number of 200 g portions	15-50

Blixer[®] 20

\checkmark
4400 W
3 phase
1500 rpm - 3000 rpm
\checkmark
20 L stainless steel
\checkmark
\checkmark
All stainless steel detachable adjustable fine serrated 3 blade assembly - Included
15-65

Choose	Blixer [®] 15	Ref.	Blixer [®] 20	Ref.
your model:	Blixer 15 400V/50/3	51511	Blixer 20 400V/50/3	51611

		Blixer [®] 15	Blixer [®] 20
Choose your options:	Options	Ref.	Ref.
your options.	Additional bowl assembly: bowl, fine serrated blade, lid and Blixer® arm	57065	57066
	Additional stainless steel fine serrated blade	57102	57102
	Fine serrated blade	59359	59359

BLIXER®





Induction motor	\checkmark
Wattage	4500 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	\checkmark
IP65 control panel with digital timer	\checkmark
Bowl	23 L stainless steel
See-through lid	\checkmark
Lid wiper	\checkmark
Blixer [®] arm	\checkmark
Blade	All stainless steel detachable adjustable fine serrated blade assembly - Included
3 retractable wheels	\checkmark
Number of portions	20-75

Blixer[®] 30

\checkmark
5400 W
3 phase
1500 rpm - 3000 rpm
\checkmark
\checkmark
28 L stainless steel
\checkmark
\checkmark
\checkmark
All stainless steel detachable adjustable fine serrated blade assembly - Included

20-100

Choose your model:	Blixer [®] 23	Ref.	Blixer [®] 30	Ref.
your model.	Blixer 23 400V/50/3	51341	Blixer 30 400V/50/3	52341

		Blixer [®] 23	Blixer [®] 30
Choose your options:	Options	Ref.	Ref.
	Additional stainless steel fine serrated blade	57071	57076
	Fine serrated blade	118292S	118241S

Induction motor	\checkmark
Wattage	10 000 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	\checkmark
IP65 control panel with digital timer	\checkmark
Bowl	45 L stainless steel
See-through lid	\checkmark
Lid wiper	\checkmark
Blixer [®] arm	\checkmark
Blade	All stainless steel detacha- ble adjustable fine serrated blade assembly - Included
3 retractable wheels	\checkmark
Number of portions	30-150

Blixer[®] 45

oupe

110	00 W	
3 p	hase	
150	0 rpm - 3000	rpm
\checkmark		
\checkmark		
60	L stainless ste	el
\checkmark		

Blixer[®] 60

 \checkmark

31

oupe

 \checkmark All stainless steel detachable adjustable fine serrated blade assembly - Included \checkmark 30-225


Ref.

Blixer® 60

Choo	se
your	model:


Choose your options:

Blixer 45 400V/50/3 53341		Blixer 60 400V/50/3	54341	
	Bli	xer [®] 45	Blixer®	◎ 60
Options	Ref.		Ref.	
Additional stainless ste fine serrated blade	el 5708	3	57093	
Fine serrated blade	11824	3S	118245S	





MODIFIED TEXTURE



BLIXER®



Ref.

IMMERSION BLENDERS



FIVE PRODUCT RANGES AT THE FOREFRONT OF INNOVATION

Whatever their size, Robot-Coupe immersion blenders can mix, blend, emulsify and whip in no time at all. Their performance in terms of hygiene, ease of use, versatility, durability and return on investment makes them the best choice for your kitchen.



IMMERSION BLENDERS




AFTER SALES SERVICE: DETACHABLE POWER CORD*

- 1 The new patented "EasyPlug" system means that the power cord can be easily replaced during aftersales servicing.
- Indicator light: quick detection of power cord failure. The green light comes on if the cord is undamaged and correctly plugged in on both sides (wall socket and EasyPlug).



*On the following models: MP 350 Ultra, MP 350 V.V. Ultra, MP 450 Ultra, MP 450 V.V. Ultra, MP 550 Ultra, MP 600 Ultra, MP 800 Turbo, MP 350 Combi Ultra, MP 450 Combi Ultra, MP 450 FW Ultra, MP 450 XL FW Ultra.

120 2022 Edition robot @ coupe



The emulsifying disc is available on the Mini and Micromix product lines.


DISCOVER OUR PAN SUPPORTS TO RELIEVE STRAIN


Page 130



POWER MIXERS

IMMERSION BLENDERS





CLEANING

Blade and bell easy to remove.



STRAIN RELIEF

Easy-to-use pan supports to relieve strain during use.

- 1 universal stainless steel pan support:
- To be attached to the edge of the pan.

2 3 adjustable stainless steel pan supports:

- Pan diameter: 330 to 650 mm
- Pan diameter: 500 to 1000 mm
- Pan diameter: 850 to 1300 mm





MICROMIX®

The top choice of chefs. Only a few seconds are needed to make a perfect emulsion!

INNOVATION

AEROMIX

Patented emulsifying disc designed to make instant light fluffy **emulsions** that always keep their shape on the plate.



BLADE For making small portions of all your favourite soups and sauces.



ONLY A FEW SECONDS ARE NEEDED TO MAKE A PERFECT EMULSION!



All stainless steel tube, bell, motor housing and tools.

Bell design reduces mixing time.

ERGONOMICS

HEAVY DUTY

PERFORMANCE

Powerful and quiet.

High precision, easy to access variable speed button. Extendable coiled power cord for easier handling. Maximum length 1300 mm. Ideal for use just before serving.

CLEANING

The tube and attachments can be removed for easy cleaning. Practical storage for mixer and attachments.





10



MicroMix®

Wattage	220 W
Voltage	Single phase
Speed	1500 to 14000 rpm
Blade and shaft	Length 165 mm - all stainless steel
Removable blade	\checkmark
Removable foot	\checkmark
Dimensions	Length 430 mm, Ø 61 mm
Gross weight	1.4 kg
Accessories	Stainless steel Aeromix - Included Wall support - Included











Special Merchandising Pack

to display 6 MicroMix mixers in showrooms.

	Ref.	Sales unit	Packaging unit	
Micromix 240V/50/1	34902	1	1	
Pack of 6 Micromix 240V/50/1	34952	1	6	



Blade designed for optimum blending.









Mini MP 160 V.V. Mini MP 190 V.V.

Wattage	240 W
Voltage	Single phase
Speed	2000 to 12500 rpm
Blade, bell and shaft	Length 160 mm - all stainless steel
Removable blade	\checkmark
Removable bell	No
Removable foot	\checkmark
Dimensions	Length 455 mm, Ø 78 mm
Gross weight	2.4 kg
Accessories	Stainless steel Aeromix Included Wall support - Included

270 W
Single phase
2000 to 12500 rpm
Length 190 mm - all stainless steel
\checkmark
\checkmark
\checkmark
Length 485 mm, Ø 78 mm
2.5 kg
Stainless steel Aeromix Included Wall support - Included

Mini MP 240 V.V.

290 W
Single phase
2000 to 12500 rpm
Length 240 mm - all stainless steel
✓
✓
\checkmark
Length 535 mm, Ø 78 mm
2.5 kg
Stainless steel Aeromix
Included
Wall support - Included

Choose your model:

 Mini MP 160 V.V.
 Ref.

 Mini MP 160 V.V.
 34742

 240V/50/1
 34742

 Mini MP 190 V.V.
 Ref.

 Mini MP 190 V.V.
 34752

 240V/50/1
 34752



 Mini MP 240 V.V.
 Ref.

 Mini MP 240 V.V.
 34762

 240V/50/1
 34762



CMP COMPACT PRODUCT RANGE

Compact, easy-to-handle, high-performance.

For restaurants & cafés

POWERFUL High-strength motor: +15 % for greater efficiency.



PERFORMANCE

Optimum blending for a fine textured end product in a minimum amount of time.



CLEANING Removable stainless steel bell and blade for easy cleaning and maintenance.



ERGONOMIC

Light, compact, easy-to-handle appliance.

COMFORT

Variable speed for greater flexibility when making sophisticated preparations.





Support mural





Support mural



Wattage	310 W
Voltage	Single phase
Speed	2300 to 9600 rpm (self regulating system)
Blade, bell and shaft	Length 250 mm - all stainless steel
Removable blade	\checkmark
Removable bell	\checkmark
Removable foot	No
Dimensions	Length 650 mm, Ø 94 mm
Gross weight	3.9 kg
Accessories	Wall support Included

CMP 250 V.V. CMP 300 V.V.


350 W
Single phase
2300 to 9600 rpm
(self regulating system)
Length 300 mm - all stainless
steel
\checkmark
\checkmark
No
Length 660 mm, Ø 94 mm
3.9 kg
Wall support
Included

CMP 350 V.V.

400 W
Single phase
2300 to 9600 rpm
(self regulating system)
Length 350 mm - all stainless
steel
\checkmark
\checkmark
No
Length 700 mm, Ø 94 mm
4.1 kg
Wall support

Choose your model:

CMP 250 V.V. Ref. CMP 250 V.V. 240V/50/1 34242A



CMP 350 V.V.	Ref.	
CMP 350 V.V. 240V/50/1	34252A	

POWER



Whisk function CMP 250 Combi See page 137



Whisk function CMP 300 Combi See page 137

MP/CMP PAN SUPPORTS

Pan supports reduce MSD risks, relieve strain and make it easier to control preparations.

They enable the mixer to be tilted effortlessly or left to do the job by itself.

Made entirely of stainless steel, they can be removed completely, are easy to clean and practical to use.

Universal pan support: Fits all pan sizes.





2 Adjustable pan supports:

Three pan supports are available as an option. They adapt to the size of the pan:

- pan Ø from 330 mm to 650 mm.
- pan Ø from 500 mm to 1 000 mm.
- pan Ø from 850 mm to 1 300 mm.













Stainless steel pan supports

1 universal stainless steel pan support 1	Ref.	
To be attached to the edge of the pan.	27358	
3 adjustable stainless steel pan supports 🕗	Ref.	
For 330 to 650 mm diameter pans	27363	
For 500 to 1000 mm diameter pans	27364	
For 850 to 1300 mm diameter pans	27365	

MP ULTRA LARGE PRODUCT RANGE

Even better performance and ergonomics!



AFTER SALES SERVICE: DETACHABLE POWER CORD*

- 1 The new patented "EasyPlug" system means that the power cord can be easily replaced during aftersales servicing.
- Indicator light: rapid detection of power cord failure. The green light comes on if the cord is undamaged and correctly plugged in on both sides (wall socket and EasyPlug).









MP 350 Ultra

Wattage	440 W
Voltage	Single phase
Speed	9500 rpm
Blade, bell and shaft	Length 350 mm - all stainless steel
Removable blade	\checkmark
Removable bell	\checkmark
Removable foot	No
EasyPlug	\checkmark
Dimensions	Length 740 mm, Ø 125 mm
Gross weight	6.2 kg
Accessories	Wall support - Included

MP 350 Ultra V.V.

440 W
Single phase
1500 to 9000 rpm (self regulating system)
Length 350 mm - all stainless steel
\checkmark
\checkmark
No
\checkmark
Length 740 mm, Ø 125 mm
6.4 kg
Wall support - Included

Choose your model:

MP 350 Ultra	Ref.
MP 350 Ultra 240V/50/1	34802L

MP 350 Ultra V.V.	Ref.
MP 350 V.V. Ultra 240V/50/1	34842L



Whisk function MP 350 Combi Ultra See page 138





MP 450 Ultra

Wattage	500 W
Voltage	Single phase
Speed	9500 rpm
Blade, bell and shaft	Length 450 mm - all stainless steel
Removable blade	\checkmark
Removable bell	✓
Removable foot	No
EasyPlug	\checkmark
Dimensions	Length 840 mm, Ø 125 mm
Gross weight	6.3 kg
Accessories	Wall support - Included

MP 450 Ultra V.V.

500 W
Single phase
1500 to 9000 rpm (self regulating system)
Length 450 mm - all stainless steel
\checkmark
\checkmark
No
\checkmark
Length 840 mm, Ø 125 mm
6.5 kg
Wall support - Included

Choose your model:

 MP 450 Ultra
 Ref.
 MP 450 Ultra V.V.
 Ref.

 MP 450 Ultra 240V/50/1
 34812L
 MP 450 V.V. Ultra 240V/50/1
 34852L



Whisk function

MP 450 Combi Ultra See page 138



MP 550 Ultra

Wattage	750 W
Voltage	Single phase
Speed	9000 rpm
Blade, bell and shaft	Length 550 mm - all stainless steel
Removable blade	\checkmark
Removable bell	\checkmark
Removable foot	No
Second handle	Removable EasyGrip handle
Electronic booster system	No
EasyPlug	\checkmark
Dimensions	Length 940 mm, Ø 125 mm
Gross weight	6.6 kg
Accessories	Wall support - Included

MP 600 Ultra

850 W Single phase 9500 rpm Length 600 mm - all stainless steel	1 9 L
✓	
\checkmark	N
No	Ν
Removable EasyGrip handle	h
No	r F
\checkmark	1
Length 980 mm, Ø 125 mm	L
7.4 kg	g
Wall support - Included	V

MP 800 Turbo

-	1000 W
ę	Single phase
ę	9500 rpm
	Length 740 mm - all stainless steel
	\checkmark
	V
1	No
	ntegrated stainless steel nandle
	Electronic booster system for motor
•	\checkmark
l	Length 1130 mm, Ø 125 mm
ę	9.2 kg
١	Wall support - Included


27365

Choose	
your model:	MI

MP 550 Ultra	Ref.
MP 550 Ultra 240V/50/1	34822LH

MP 600 Ultra	Ref.	MP 800 Turbo	Ref.
MP 600 Ultra 240V/50/1	34832LH	MP 800 Turbo 240V/50/1	34892L





Stainless steel pan supports

For 850 to 1300 mm diameter pans

COMBI PRODUCT RANGE

The Robot-Coupe whisk attachment available for Mini MP Combi, CMP Combi, MP Combi Ultra and MP FW mixers is designed to emulsify, mix, shell, beat and knead.

POWERFUL

High-strength motor: +15 % for greater efficiency.

EASY TO OPERATE

Variable speed button easy to use with one hand.

> obot + coupe MP 450 F.W. Ultra

ERGONOMIC

Ergonomic handle for easier grasping.

CONVENIENT

Self regulating speed system for sophisticated preparations.

Salad dressing, mayonnaise, sauces, etc.



MIX

EMULSIFY

Pancake batter, tomato pulp, seasoning, etc.



SHELL



Semolina, rice, wheat, quinoa, etc.

Egg whites, chocolate mousse, whipped cream, etc.





KNEAD/MASH



Mashed potatoes, doughnut dough, batter, etc.





METAL WHISK BOX

HEAVY DUTY Metal gears inside 2 metal housings to stand up to heavy duty use.

CLEANING Overmoulded whisks to

ensure perfect hygiene.

ERGONOMIC

Fast coupling of whisks to the gearbox and the gearbox to the motor housing for easy assembly and disassembly.

POWER



Mini MP 190 Combi

Wattage	270 W
Voltage	Single phase
Speed	2000 to 12500 rpm for mixer 350 to 1560 rpm for whisk
Blade, bell and shaft	Length 190 mm - all stainless steel
Removable blade	\checkmark
Removable bell	\checkmark
Removable foot	\checkmark
Metal whisk box	\checkmark
Dimensions	Total length with tube 485 mm with whisk 550 mm, Ø 78 mm
Gross weight	2.7 kg
Accessories	Wall support - Included

Mini MP 240 Combi

290 W
Single phase
2000 to 12500 rpm for mixer 350 to 1560 rpm for whisk
Length 240 mm - all stainless steel
\checkmark
\checkmark
\checkmark
\checkmark
Total length with tube 535 mm with whisk 550 mm, Ø 78 mm
2.8 kg
Wall support - Included

Choose your model:	Mini MP 190 Combi	Ref.	Mini MP	240 Combi	Ref.
your mouel.	Mini MP 190 Combi 240V/50/1	34772	Mini MP 240 Com	bi 240V/50/1	34782
			Mini MP 190 C	ombi Mi	ini MP 240 Com
Choose your options:	Option		Mini MP 190 C Ref.		ini MP 240 Com Ref.



CMP 250 Combi

Wattage	310 W
Voltage	Single phase
Speed	2300 to 9600 rpm for mixer, 500 to 1800 rpm for whisk with self regulating speed system
Blade, bell and shaft	Length 250 mm - all stainless steel
Removable blade	\checkmark
Removable bell	\checkmark
Removable foot	\checkmark equipped with a 3-level watertightness system
Metal whisk box	\checkmark
Dimensions	Total length with tube 640 mm with whisk 610 mm, Ø 125 mm
Gross weight	5.6 kg
Accessories	Wall support - Included

CMP 300 Combi

350 W
Single phase
2300 to 9600 rpm for mixer, 500 to 1800 rpm for whisk with self regulating speed system
Length 300 mm - all stainless steel
\checkmark
\checkmark
\checkmark equipped with a 3-level watertightness system
\checkmark
Total length with tube 700 mm
with whisk 610 mm, Ø 125 mm
5.7 kg
Wall support - Included


Choose your model:

CMP 250 Combi	Ref.
CMP 250 Combi 240V/50/1	34302A

CMP 300 Combi	Ref.
CMP 300 Combi 240V/50/1	34312A

Choose your options:

	CMP 250 C	ombi CMP 300 Combi
Options	Ref.	Ref.
CMP Combi whisk attachment	27248	27248
Mixer foot	27249	27250



MP 350 Combi Ultra

Wattage	440 W
Voltage	Single phase
Speed	1500 to 9000 rpm for mixer, 250 to 1500 rpm for whisk with self regulating speed system
Blade, bell and shaft	Length 350 mm - all stainless steel
Removable blade	\checkmark
Removable bell	\checkmark
Removable foot	\checkmark
Metal whisk kit	\checkmark
Detachable whisk	\checkmark
EasyPlug	\checkmark
Dimensions	Total length with tube 790 mm with whisk: 805 mm, Ø 125 mm
Gross weight	7.9 kg
Accessories	Wall support - Included
Ohaaaa	

Choose your model:

ur options:

MP 350 Combi Ultra	Ref.	
MP 350 Combi Ultra 240V/50/1	34862L	

MP 450 Combi Ultra

500 W Single phase 1500 to 9000 rpm for mixer, 250 to 1500 rpm for whisk with self regulating speed system Length 450 mm - all stainless steel \checkmark \checkmark \checkmark **√** \checkmark \checkmark Total length with tube 890 mm with whisk 840 mm, Ø 125 mm 8.2 kg Wall support - Included

MP 450 Combi Ul	ltra Ref.
MP 450 Combi Ultra 240V/	/50/1 34872L
MP 350 Combi Ultra	MP 450 Combi Ultra
Ref	Bof

Choose	
vour ontions	

	MP 350 Combi Ultra	MP 450 Combi Ultra	
Options	Ref.	Ref.	
MP Combi whisk attachment	27210	27210	
Mixing attachment	27355	27355	
Mixer foot	39354	39355	



Stainless steel pan supports

1 universal stainless steel pan support 🚺	Ref.	
To be attached to the edge of the pan.	27358	
3 adjustable stainless steel pan supports 2	Ref.	
For 330 to 650 mm diameter pans	27363	
For 500 to 1000 mm diameter pans	27364	
For 850 to 1300 mm diameter pans	27365	



Wall support



MP 450 FW Ultra

bot, toda

HP 458 F.3

Wattage	500 W
Voltage	Single phase
Speed	250 to 1500 rpm (self regulating system)
Whisk	280 mm long detachable whisk
Metal whisk box	\checkmark
EasyPlug	\checkmark
Dimensions	Length 800 mm, Ø 125 mm
Gross weight	8.6 kg
Accessories	Wall support - Included

MP 450 FW Ultra

MP 450 FW

Ultra 240V/50/1

Ref.

34882L

Choose

your model:

MP 450 XL FW Ultra

500 W Single phase 150 to 510 rpm (self regulating system)


Detachable mixing attachment 690 mm long

\checkmark

✓ Length 1210 mm, Ø 175 mm 8.6 kg

Wall support - Included

MP 450 XL FW Ultra	Ref.	
MP 450 XL FW Ultra 240V/50/1	34282L	



POWER

AUTOMATIC JUICE EXTRACTORS



ULTRA FRESH FRUIT JUICE IN JUST A FEW SECONDS!

Robot-Coupe Automatic Juice Extractors are an essential for foodservice professionals across various sectors: cafes, bars, restaurants, hotels, canteens, supermarkets and healthcare facilities.

Quick, quiet, efficient and heavy duty with a fast ROI, they offer an ideal solution for making large quantities of delicious, Ultra-Fresh fruit and vegetable juices.

AUTOMATIC JUICE EXTRACTORS

ATIC FEED

Ø 79 mm **FEED-HEAD** ··· For whole fruit and vegetables.

AUTOMATIC FEED TUBE

- With the exclusive automatic feed system, fruit and vegetables are processed effortlessly.
- Fast: 25 cl in just 6 seconds.



BASKET

Two handles for a better grip, can be removed without tools and is easy to clean.

Anti-splash spouts in 2 different sizes:

Jug / Blender bowl

NEW

2 Served by the glass







NEW

SLOPING BASE For optimum evacuation of juice.

MOTOR

- 1000 W designed for intensive use throughout the day.
- Quiet so it can be used right in front of the customer.



Two ways of using the juicer:

Continuous pulp ejection. Pulp ejection chute: continuous pulp ejection directly into a bin under the worktop. Pulp ejected into a container. Large capacity 7.2 litre translucent pulp collector.

Pulp is ejected under the worktop



OUR USERS



BARS, RESTAURANTS AND HEALTHCARE FACILITIES

Fresh fruit and vegetable juices are a way of adding a touch of freshness to bar and restaurant menus. They are also highly appreciated in hospitals and retirement homes to prevent residents from being dehydrated.

HOTELS, CANTEENS AND CAFETERIAS

Quiet and easy to operate, Robot-Coupe juice extractors provide self-service in hotel breakfast bars and school canteens.



JUICE BARS AND SUPERMARKETS

Especially designed for intensive use, our juice extractor range is perfect for the production of large quantities.



JUICE EXTRACTORS









J 80

\checkmark
700 W
Single phase
120 L/hr
Stainless steel
✓ Automatic Ø 79 mm
Stainless steel
Stainless steel
155 mm
✓
\checkmark
-
√ 1 size
-
\checkmark
\checkmark
6.5 L
-

Choose vour model:	J 80	Ref.	
your model:	J 80 220-240V/50/1	56002B	



Choose your options:

Scan the QR Code to s	see
the juice extractor in a	iction.

	J 80
Accessories	Ref.
Base + XL drip tray + long spout kit	49230
Complete Basket	49057
Grating Disc	49048



J 80 Buffet

Induction motor	\checkmark
Wattage	700 W
Voltage	Single phase
Flow rate	120 L/hr
Bowl	Stainless steel
Chute	✓ Automatic Ø 79 mm
Filter	Stainless steel
Grating disc	Stainless steel
Useful height under spout	177 mm
TYPE OF SERVICE: Glass	\checkmark
Jug	\checkmark
Blender bowl	-
No-splash spout	✓ - 2 sizes
Inclined motor base	✓
Drip catcher tray	✓ - Large capacity
Automatic pulp ejection	\checkmark
Translucent pulp container	6.5 L
Continuous pulp ejection chute	-

Choose your model:	J 80 Buffet	Ref.	
your model.	J 80 Buffet 220-240V/50/1	56202B	

		J 80 Bi	iffet
Choose your options:	Accessories	Ref.	
your options.	Base + XL drip tray + long spout kit	49230	
	Complete Basket	49057	
	Grating Disc	49048	















J 100

Induction motor		\checkmark
Wattage		1000 W
Voltage		Single phase
Flow rate		160 L/hr
Bowl		Stainless steel
Chute		✓ Automatic Ø 79 mm
Filter		Stainless steel
Grating disc		Stainless steel - For intensive use
Useful height under	spout	251 mm
TYPE OF SERVICE:	Glass	\checkmark
	Jug	\checkmark
	Blender bowl	\checkmark
No-splash spout		✓ - 2 sizes
Inclined motor base		✓
Drip catcher tray		🗸 - Large capacity
Automatic pulp eject	ion	✓
Translucent pulp cor	ntainer	7.2 L
Continuous pulp ejec	ction chute	\checkmark

Choose vour model:	J 100	Ref.
your model:	J 100 220-240V/50/1	56102B

Choose
your options:AccessoriesRef.Base + XL drip tray + long spout kit49230Complete Basket49057Grating Disc49048

AUTOMATIC SIEVES



LET OUR SIEVE DO THE WORK!

Our automatic, multi-purpose, heavy duty sieves are designed to make fruit coulis and pulp, vegetable mousse, stock, fish soups, etc. by separating seeds, stones, fibres and shells without grinding them. The continuous feed system makes it easy to use and a great time saver.

AUTOMATIC SIEVES

HOPPER

Continuous feeding of prepared ingredients for increased productivity.

PERFORATED BASKET

The products fall inside the basket where they are strained.

PADDLES

System of paddles rotating at 1500 rpm forces the ingredients through the basket dividing them into finished and waste products.



FINISHED PRODUCT EJECTION CHUTE The ready to use pulp is ejected here and is free of pips, stones, skin, fibres and bones.



WASTE EJECTION CHUTE

For skins, pips, stones, tails, bones, shells, fibres to dispose of, or pass a second time.



1 mm (Standard)



TOMATO, CAPSICUM, APPLE COMPOTE, etc.



FISH AND SHELLFISH SOUP



2 mm



3 mm



OLIVES



CHERRIES, PLUMS, etc.



5 mm



APRICOTS



PEACHES, PRUNES, etc.



0.5 mm To filter fibres and very fine impurities. Used in addition to the 1 mm perforated basket.



BERRIES, CHESTNUTS, etc.



PLANT-BASED BEVERAGES (COCONUT MILK, ALMOND MILK, etc.)

For more applications, contact your Territory Manager.



C 80

C 120

Induction motor	\checkmark	\checkmark	\checkmark
Wattage	650 W	900 W	1800 W
Voltage	Single phase	3 phase	3 phase
Speed	1500 rpm	1500 rpm	1500 rpm
Flow rate	60 kg/hr	120 kg/hr	150 kg/hr
Continuous feed	✓	√	✓
Continuous waste ejection	✓	√	✓
Motor base	Stainless steel	Stainless steel	Stainless steel
Bowl	Stainless steel	Stainless steel	Stainless steel
Feet	Stainless steel	Stainless steel	Stainless steel
Hopper	Stainless steel	Stainless steel	Stainless steel
Table-top model	✓	-	-
Floor-standing model	-	✓	\checkmark
Perforated basket	1 mm perforated basket Included	1 mm perforated basket Included	1 mm and 3 mm perforated baskets - Included
Choose your model:	C 80 Ref.	C 120 Ref.	C 200 Ref.
	C 80 220-240V/50/1 55013	C 120 230-400V/50/3 55033	C 200 Special Industry 55006

76/263
S. MAN
回於清除

Scan the QR Code to see the automatic sieve in action.

Choose your options:

C 80 220-240V/50/1	55013	

C 120	Ref.	
C 120 230-400V/50/3	55033	

C 200	Ref.	
C 200 Special Industry 230-400V/50/3	55006	

C 200 Special Industry

	C 80	C 80		C 120 / C 200	
Options	Ref.		Ref.		
Perforated basket 0.5 mm	57009		57211		
Perforated basket 1.5 mm	-	-	57042		
Perforated basket 2 mm	-	-	57019		
Perforated basket 3 mm	57008		57156		
Perforated basket 5 mm	57023		57020		
Additional 1 mm perforated basket	57007		57145		
Additional rubber scraper (per unit)	100338S		100702S		

Fruit Pulps - Output	Use	Но	ourly	End Product	
		C 80	C120/C200		
STRAWBERRIES / 90%					
RASPBERRIES / 90%	Process ripe fruit	60 kg/h	150 kg/h		
BLACKBERRIES / 90%					
REDCURRANTS / 75%	To be blonched for mov output	40 ka/b	100 ka/b		
BLACKCURRANTS / 75%	To be blanched for max output	40 kg/h	100 kg/h		
BLUEBERRIES / 90%					
TOMATOES / 90%	OES / 90%			With the fruitpulp	
MIRABELLE PLUMS / 80%	To be washed before	60 kg/h	150 kg/h	you can make:	
CHERRIES / 80%	feeding into	feeding into the machine		 Icecream 	
PLUMS / 80%	the machine			SorbetsCreams	
PEACHES / 80%		40 kg/h	100 kg/h	Fruit Purees	
APRICOTS / 80%		40 kg/11 100 kg/11		• Jams	
MELON / 90%				Fruit Jelly	
LEMON / 80%	Peeled	40 kg/h	100 kg/h	• Jelly	
ORANGE / 80%					
GRAPES / 80%	Use ripe picked grapes	40 kg/h	100 kg/h		
APPLES / 85%		40 kg/h	100 kg/h		
COCONUT / 85%	Grind before processing	60 kg/h	150 kg/h		
PINEAPPLE / 90%	proceeding	00 kg/11	60 kg/h		
APPLE PUREE / 90%	Cooked	40 kg/h	100 kg/h		

Vagatable Maussa Output	Use	H	ourly	End Product
Vegetable Mousse - Output	056	C 80	C120/C200	End Product
ASPARAGUS / 80%				
CARROTS / 90%				
CELERIAC / 90%	Thorough cooking	40 kg/h	100 kg/h	 Vegetable purees
CUCUMBERS / 95%	before sieving			 Vegetable mousses
LEEKS / 80%				
CAPSICUMS / 95%		60 kg/h	150 kg/h	

Olives - Output	Use	Ho	burly	End Product
Onves - Output	Use	C 80	C120/C200	
OLIVE	Cutter grind before processing	40 kg/h	100 kg/h	Tapenade

Source Output	Use	Ho	ourly	End Product
Soups - Output	Use	C 80	C120/C200	End Product
FISH / 75%			*150 11 /	D'
SHELLFISH / A 90%	Grind before processing	60 ltr/hr	*150 ltr/hr and more	 Bisque Cream soups, Soups
SAUCES	beiore processing			- Orean Soups, Soups

PLANETARY MIXERS



*Stainless steel bowl safety guard optional extra.

THE MULTI-FUNCTION PLANETARY MIXER

Our wide range of mixers are durable, reliable, fast, powerful and safe. With capacity from 5 to 80L It's easy to find the right model for your needs.



PLANETARY MIXERS

PERFORMANCE

Multi speed planetary mixers with powerful motors.

PRODUCTIVITY 5 to 80 L stainless steel bowls.

PRECISION

Front mounted controls with timer* or manual operation.

ERGONOMICS

Removable safety guard. Easy to take off for cleaning and maintenance without tools.



COMFORT

Optional bowl trolley with handle for larger models.

ROBUST

Unique transmission design*

SAFETY

Bowl guard Emergency stop button*

*Excludes SP502A-C

OPTIONAL EXTRAS

Reinforced Whisk



SP25S to SPB-80HI



SP25-S to SPB-80HI






SP502A-C & SP800A-C

Reduction Kit



SP25-S to SPB-80HI



Single phaseVariable speed

Single phase3 speeds BACK TO SUMMARY

2022 Edition robot @ coupe° 155







SP100-S

SP502A-C

SP800A-C

Resistant transmission design	✓	✓	✓
Motor	DC Carbon Brush Motor	Induction Motor	Induction Motor
Wattage	800 W	200 W	250 W
Voltage	Single phase	Single phase	Single phase
Speed	60 to 260 rpm	132/235/421 rpm	106/196/358 rpm
Bowl	5 litres stainless steel	8 litres stainless steel	10 litres stainless steel
Interlocked safety guard	✓	✓	✓
Removable stainless steel bowl guard	-	-	✓
Accessories	Dough hook, beater and whisk Included	Dough hook, beater and whisk Included	Dough hook, beater and whisk Included

Choose	SP502A-C		SP800A-C		SP100-S		
your model:	SP502A-C 240V/50/1	SP-502A-C	SP800A-C 240V/50/1	SP-800A-C	SP100-S 240V/50/1	SP-100-NH	

		SP502A-C	SP800A-C	SP100-	S
Choose your options:	Options	Ref.	Ref.	Ref.	
your options.	Stainless Steel Bowl	5A04	SP800A-30	SP100-019	
	Whisk	5A01	SP800A-27	SP100-018	
	Reinforced Whisk	-		100018-A	
	Hook	5A03	SP800A-26	SP100-16	135
	Beater	5A02	SP800A-25	SP100-017	
	Stainless Steel Bowl Safety Guard	5E01-SUS	800155-SUS	-	-







SP25-S

Resistant transmission design	✓
Motor	Induction Motor
Wattage	560 W
Voltage	Single phase
Speed	108/183/352 rpm
Bowl	25 litres in stainless steel
Interlocked safety guard	✓
Removable stainless steel bowl guard	✓
Accessories	Dough hook, beater and whisk Included

SP25-S	
SP25-S	SP25T/
240V/50/1	GOLD-S

SP30-S

 \checkmark

Induction Motor 750 W Single phase - No plug supplied 99/167/329 rpm 30 litres in stainless steel \checkmark

√

Dough hook, beater, whisk and bowl trolley - Included

SP30-S		
SP30-S 240V/50/1	SP30-S	

For Australian power requirements it is advisable to install a 20 amp circuit breaker and isolation switch. Please consult a qualified electrician.

SP40-S

 \checkmark

 \checkmark

√

Ļ

Induction Motor 1300 W Single phase - No plug supplied 99/167/329 rpm 40 litres in stainless steel

Dough hook, beater, whisk and

bowl trolley - Included

SP40-S		
SP40-S 240V/50/1	SP40-S	

For Australian power requirements it is advisable to install a 20 amp circuit breaker and isolation switch. Please consult a qualified electrician.

	SP25-S	SP30-S	SP40-S
Options	Ref.	Ref.	Ref.
Stainless Steel Bowl	SP25-32	SP30-32	SP40-32
Bowl scraper	SP25/SCRP	SP30/SCRP	SP40/SCRP
Whisk	SP25-31	SP30-31	SP40-31
Reinforced Whisk	22031-A	30031-A	40031-A
Hook	SP25-29	SP30-29	SP40-29
Beater	SP25-30	SP30-30	SP40-30
Reduction kit	ACC10/SP25	-	- ACC20/SP40
Bowl trolley	- '	- TROLLEY/30-N	TROLLEY/40-N

Choose your options:

Choose your model:

PLANETARY MIXERS





SP60-S

Resistant transmission design	✓
Motor	Induction Motor
Wattage	2200 W
Voltage	3 phase - No plug supplied
Speed	99/167/329 rpm
Bowl	60 litres in stainless steel
Interlocked safety guard	✓
Removable stainless steel bowl guard	✓
Accessories	Dough hook, beater, whisk and bowl trolley Included

SP60-S

SP60-S 415V/50/3

3 phase - No plug supplied 68/121/204/356 rpm 80 litres in stainless steel

SPB-80HI

Induction Motor

 \checkmark

2250 W

Dough hook, beater, whisk and bowl trolley Included

SPB-80HI		
SPB-80HI 415V/50/3	SP-B801	

		SP60-S	SPB-80HI
Choose your options:	Options	Ref.	Ref.
Stainless Steel Bowl Bowl scraper Whisk	Stainless Steel Bowl	SP60-32	SPB80-A28
	Bowl scraper	SP60/SCRP	SPB80/SCRP
	Whisk	SP60-31	SPB80-A25
	Reinforced Whisk	60031-A	A-8025-A
	Hook	SP60-29	SPB80-A27
	Beater	SP60-30	SPB80-A26
	Reduction kit	ACC30/SP60	ACC40/SPB80
	Bowl trolley	TROLLEY/60-N	TROLLEY/A80-N

SP60-S

Choose

your model:

CAPACITIES CHART

Ingredients	Speed/ Attachement	SP502A-C	SP800A-C	SP100-S	SP25-S	SP30-S	SP40-S	SP60-S	SPB-80HI
Kitchen Single Batches		1	1		1	1	1		1
Hot Cake Batter	Beater	2L	3L	4.7L	9.5L	11.4L	15.1L	22.7L	28.4L
Whipped Cream	Whip	1.25L	2L	2.5L	7.5L	8.2L	10L	15L	20L
Mashed Potatoes	Beater	1.5kg	1.8kg	3.6kg	8.2kg	10.4kg	13.6kg	18.1kg	22.7kg
Egg White	Whip	0.37kg	0.6kg	0.75kg	1.8kg	2.25kg	3kg	4.5kg	6kg
Meringue	Whip	0.2L	0.3L	0.35L	0.83L	1.9L	2.4L	2.9L	3.8L
Bakery Single Batches								-	
Raised Donut Dough (65% AR)* ◆	Hook 1 st & 2 nd	1kg	1.5kg	2kg	5.4kg	6.8kg	11.3kg	27.2kg	32.3kg
Heavy Bread Dough (55% AR)* ●◆	Hook 1 st only	0.9kg	1.3kg	3.4kg	9.1kg	13.6kg	18.1kg	31.8kg	32.3kg
Bread and Roll Dough (60% AR)* ●◆	Hook 1 st only	1kg	1.8kg	5.7kg	7.3kg	20.4kg	27.2kg	36.3kg	40.8kg
Pizza Dough, Thin (40% AR)* ●▲◆	Hook 1 st only	0.8kg	1kg	2.3kg	5.4kg	7.3kg	13.6kg	18.1kg	22.7kg
Pizza Dough, Medium (50% AR)* ●◆	Hook 1 st only	0.9kg	1.2kg	2.3kg	6.8kg	11.3kg	18.1kg	31.8kg	40.8kg
Pizza Dough, Thick (60% AR)* ●◆	Hook 1 st only	1kg	1.5kg	4.5kg	11.3kg	18.1kg	22.7kg	31.8kg	45.4kg
Fondant Icing	Beater	1.2kg	1.4kg	2.7kg	6.8kg	8.2kg	11.3kg	16.3kg	27.2kg
Cake	Beater	2.3kg	2.7kg	4.5kg	11.3kg	13.6kg	18.1kg	27.2kg	40.8kg
Pie Dough	Beater	1.5kg	1.8kg	4.5kg	10kg	12.2kg	15.9kg	22.7kg	31.8kg
Pasta, Basic Egg Noodle	Hook	0.45kg	0.9kg	1.4kg	2.7kg	3.6kg	7.7kg	15.9kg	22.7kg

NOTE:

* The mixer capacity depends on the moisture content of the dough. When mixing dough (pizza, bread, or bagels) check your AR%!

%AR (% Absorption Ration) = Water weight divided by flour weight. The capacities listed above are based on flour at room temperature and 21 °C water temperature.

- ▲ Maximum Mixing Time 7 Minutes.
- If high gluten flour is used, reduce the batch size by 10%.
- ◆ If using chilled flour, water below 20 °C, or ice, reduce batch size by 10%.



TECHNICAL DATA

	Dimensions (mm)			Weight (kg)					
Model	Voltage	Hertz	Phase	Plug	Length	Depth	Height	Net	Gross
R 201 XL Ultra	220-240	50	1	10A	220	280	555	10	11
R 211 XL	220-240	50	1	10A	220	360	505	13	14
R 211 XL Ultra	220-240	50	1	10A	220	360	505	13	14
R 301	220-240	50	1	10A	355	305	570	20	22
R 301 Ultra	220-240	50	1	10A	355	305	570	19	20
R 401	220-240	50	1	10A	320	305	570	18	20
R 402	220-240	50	1	10A	320	305	590	21	23
R 402 V.V.	220-240	50	1	10A	320	305	590	22	23
R 502	400	50	3	10A - Not supplied	380	365	670	29	33,5
R 502 V.V.	220-240	50	1	15A	380	365	670	30	35
R 752	400	50	3	10A - Not supplied	380	365	710	32,5	37,5
R 752 V.V.	220-240	50	1	15A	380	365	710	33,5	38

VEGETABLE	VEGETABLE PREPARAT			CHINES	Dimensions (mm)			Weight (kg)	
Model	Voltage	Hertz	Phase	Plug	Length	Depth	Height	Net	Gross
CL 40	220-240	50	1	10A	345	330	590	14	15
CL 50	220-240	50	1	10A	380	305	595	18	20
CL 50 Ultra	220-240	50	1	10A	380	305	595	18	20
CL 50 Ultra Pizza	220-240	50	1	10A	380	305	595	18	20
CL 50 Gourmet	220-240	50	1	10A	390	340	610	20	22
CL 52	220-240	50	1	10A	360	340	690	26	28
CL 55 Pusher Feed-Head	220-240	50	1	10A	700	359	1 100	35	54
CL 55 Pusher Feed-Head	400	50	3	10A - Not supplied	700	359	1 100	35	54
CL 55 2 feed-heads	220-240	50	1	10A	865	396	1 270	42	61
CL 55 2 feed-heads	400	50	3	10A - Not supplied	865	396	1 270	42	61
CL 55 Workstation	220-240	50	1	10A	865	396	1 270	63,5	85,5
CL 55 Workstation	400	50	3	10A - Not supplied	865	396	1 270	63,5	85,5
CL 60 Pusher Feed-Head	400	50	3	10A - Not supplied	335	560	1 160	57	83
CL 60 2 Feed-Heads	400	50	3	10A - Not supplied	460	770	1 355	69	95
CL 60 Workstation	400	50	3	10A - Not supplied	460	770	1 355	121	158

	CUTTER M	Din	n ensions (r	Weight (kg)					
Model	Voltage	Hertz	Phase	Plug	Length	Depth	Height	Net	Gross
R 2	220-240	50	1	10A	200	280	350	9	11
R 3	220-240	50	1	10A	210	320	400	10	11
R 4	220-240	50	1	10A	225	305	440	13	14
R 4 V.V.	220-240	50	1	10A	225	305	460	17	18
R 5	220-240	50	1	10A	280	365	510	20,5	23
R 5 V.V.	220-240	50	1	15A	280	365	510	21,5	24
R 7 V.V.	220-240	50	1	15A	280	365	540	23	26
R 8	400	50	3	21A - Not supplied	315	545	585	37	45
R 8 V.V.	220-240	50	1	32A - Not supplied	315	545	585	38	47
R 10	400	50	3	21A - Not supplied	345	560	660	42	51
R 10 V.V.	220-240	50	1	32A - Not supplied	345	560	660	47	54
R 15	400	50	3	10A - Not supplied	370	615	680	50	59
R 20	400	50	3	20A - Not supplied	380	630	760	77	86
R 23	400	50	3	20A - Not supplied	700	600	1 250	110	142
R 30	400	50	3	20A - Not supplied	720	600	1 250	126	148
R 45	400	50	3	20A - Not supplied	760	600	1 400	172	195
R 60	400	50	3	32A - Not supplied	810	600	1 400	187	212

ROBOT-COOK®					Din	nensions (r	Weight (kg)		
Model	Voltage	Hertz	Phase	Plug	Length	Depth	Height	Net	Gross
Robot Cook	220-240	50	1	10A	225	340	520	13.5	15.6

	BLIXE	R®			Dimensions (mm)			Weight (kg)	
Model	Voltage	Hertz	Phase	Plug	Length	Depth	Height	Net	Gross
Blixer 2	220-240	50	1	10A	210	280	390	10	11
Blixer 3	220-240	50	1	10A	240	305	445	12	13
Blixer 4 - 1V	220-240	50	1	10A	240	330	480	14	15
Blixer 4 V.V.	220-240	50	1	10A	240	330	480	16	17
Blixer 5	220-240	50	1	10A	280	365	540	21	23.5
Blixer 5 V.V.	220-240	50	1	15A	280	365	540	21.5	23.5
Blixer 7 V.V.	220-240	50	1	15A	280	365	570	22.5	25
Blixer 8	400	50	3	10A - Not supplied	315	545	605	39	47
Blixer 8 V.V.	220-240	50	1	32A - Not supplied	315	545	605	39	47
Blixer 10	400	50	3	10A - Not supplied	315	545	680	42	51
Blixer 10 V.V.	220-240	50	1	32A - Not supplied	315	545	680	42	51
Blixer 15	400	50	3	10A - Not supplied	315	545	700	50	59
Blixer 20	400	50	3	20A - Not supplied	380	630	780	77	86
Blixer 23	400	50	3	20A - Not supplied	700	600	1 250	110	142
Blixer 30	400	50	3	20A - Not supplied	720	600	1 250	131	154
Blixer 45	400	50	3	20A - Not supplied	760	600	1 400	172	195
Blixer 60	400	50	3	32A - Not supplied	810	600	1 400	187	210

TECHNICAL DATA

IMMERSION BLENDERS						Dimensions (mm)		
Model	Voltage	Hertz	Phase	Plug	Ø	Height	Net	Gross
MicroMix	220-240	50	1	10A	61	430	1	1
Mini MP 160 V.V.	220-240	50	1	10A	78	455	1	2
Mini MP 190 V.V.	220-240	50	1	10A	78	485	2	3
Mini MP 240 V.V.	220-240	50	1	10A	78	535	2	3
CMP 250 V.V.	220-240	50	1	10A	94	650	3	4
CMP 300 V.V.	220-240	50	1	10A	94	660	3	4
CMP 350 V.V.	220-240	50	1	10A	94	700	4	4
MP 350 Ultra	220-240	50	1	10A	125	740	5	7
MP 350 V.V. Ultra	220-240	50	1	10A	125	740	5	6
MP 450 Ultra	220-240	50	1	10A	125	840	5	6
MP 450 V.V. Ultra	220-240	50	1	10A	125	840	5	7
MP 550 Ultra	220-240	50	1	10A	125	940	5	7
MP 600 Ultra	220-240	50	1	10A	125	980	6	7
MP 800 Turbo	220-240	50	1	10A	125	1 1 30	7	9
Mini MP 190 Combi	220-240	50	1	10A	78	485	2	3
Mini MP 240 Combi	220-240	50	1	10A	78	535	2	3
CMP 250 Combi	220-240	50	1	10A	125	640	3	6
CMP 300 Combi	220-240	50	1	10A	125	700	3	6
MP 350 Combi Ultra	220-240	50	1	10A	125	790	6	8
MP 450 Combi Ultra	220-240	50	1	10A	125	890	6	8
MP 450 FW Ultra	220-240	50	1	10A	125	800	6	9
MP 450 XL FW Ultra	220-240	50	1	10A	175	1 210	5	9

JUICE EXTRACTORS					Dimensions (mm)			Weight (kg)	
Model	Voltage	Hertz	Phase	Plug	Length	Depth	Height	Net	Gross
J 80 J 80 Buffet J 100	220-240 220-240 220-240	50 50 50	1 1 1	10A 10A 10A	235 260 260	535 565 565	500 595 630	11 11 14	13 13 15

AUTOMATIC SIEVES				Dimensions (mm)			Weight (kg)		
Model	Voltage	Hertz	Phase	Plug	Length	Depth	Height	Net	Gross
C 80 C 120 C 200	220-240 400 400	50 50 50	1 3 3	10A 10A 10A - Not supplied	610 1 030 1 030	360 400 400	540 860 860	17 32 40	21 46 54

PLANETARY MIXERS				Dimensions (mm)			Weight (kg)		
Model	Voltage	Hertz	Phase	Plug	Length	Depth	Height	Net	Gross
SP502A-C	240	50	1	10A	345	389	434	16	18
SP800A-C	240	50	1	10A	346	442	579	26	28
SP100-S	240	50	1	10A	431	471	766	76	85
SP25-S	240	50	1	10A	540	557	922	113	126
SP30-S	240	50	1	20A - Not supplied	576	668	1172	198	216
SP40-S	240	50	1	20A - Not supplied	638	738	1316	264	284
SP60-S	415	50	3	10A - Not supplied	638	738	1316	280	305
SPB-80HI	415	50	3	10A - Not supplied	788	1080	1560	400	480

Notes

ROBOT COUPE AUSTRALIA PTY LIMITED ABN 20 003 907 220 TERMS AND CONDITIONS OF SALE

- 1.1
 These Terms and Conditions of Sale ("Terms") apply to all goods sold by Robot Coupe Australia Pty Limited (ABN 20 003
 907 220) («the Company»). «Goods» means all goods sold and/or delivered by the Company to the Customer from time to time and includes goods delivered on consignment No amendment, alteration, waiver or cancellation of any of these Terms is binding on the Company unless confirmed by 1.2
- the Company in writing. 13 The Customer acknowledges that no employee or agent of the Company has any right to make any representation.
- warranty or promise in relation of the Goods or the sale of the Goods other than as contained in these Terms.

2.TERMS OF PAYMENT

- 2.2
- Prices quoted are ex Company's premises and are subject to change without notice. Payments are to be made direct to the Company, strictly net, without any deduction or discount other than as stated herein or in the relevant invoice or statement. 2.3 Payments are to be made before the goods are delivered, otherwise noted in writing or indicated on our company's in-
- Payment by cheque will not be deemed to be made until and unless the relevant cheque is cleared. 2.4
- 2.5 Interest is payable on all overdue accounts calculated on a daily basis at the rate of 2% per month as from the due date
- A handling fee as determined by the Company from time to time will be charged for each invoice 2.6

3.PROPERTY IN GOODS

Legal and beneficial ownership of Goods supplied by the Company will not pass to the Customer until such time as the Goods so supplied and all other goods supplied by the Company to the Customer from time to time, have been paid in full in cash or cleared funds

4 RE-SALE OF GOODS

- 4.1 Should the Customer be a re-seller then, subject to sub-clause 4.2.4, the Customer has the right to sell the Goods in its own name at full market value and in the ordinary course of business. 42
- Until the amount payable to the Company in respect of the Goods, and in respect of all other goods previously supplied by the Company to the Customer, has been paid in full in cash or cleared fund: 4.2.1 The Customer will hold the Goods only as bailey for the Company;

 - The Goods must be stored in such manner that they are readily distinguishable from other goods owned by the Customer or other persons and so as to clearly show that they are the property of the Company; The Customer must indemnify the Company from and against any claim, action, proceeding, damage, loss, 4.2.2 4.2.3
 - cost, expense or liability incred or suffreed by the Company arising out of the possession, use or disposal of the Goods by the Customer or repossession or attempted repossession of them by the Company; and Any sale of the Goods under clause 4.1 will only be affected by the Customer as trustee for the Company and 4.2.4
 - the proceeds of such sale and the rights of the Company's Customer against its Customer arising from such sale will be held on trust for the Company. The said proceeds must be held in a separate account or otherwise clearly identified in the books and records of the Customer. If the Customer resells any Goods then, unless the Goods are clearly identifiable by serial numbers or other distinguishing
- 4.3 marks, the Customer is deemed to have disposed of the Goods in the chronological order of supply by the Company to the Customer (oldest to most recent).

5.DEFAULT

- 5.1 The Goods are not paid for in accordance with these Terms or any other written agreement between the Company and the Customer: or
- 5.2 The Company receives notice of, or reasonably believes that a third party may attempt to levy execution against or attach the Goods; or
- 5.3 Any other event occurs which is likely to adversely affect the Customer's ability to pay for the Goods (including but not initided to the appointment of a receiver, receiver and manager, administrator, controller, liquidator, provisional liquidator, trustee or similar person (each an "insolvency representative") to the Customer's undertaking), then the Company may at any time thereafter, without notice to the Customer and without prejudice to any other rights which it may have against the Customer, terminate any contract relating to the Goods and the bailment referred to in clause 4.2.

6 RIGHT TO ENTER PREMISES

In any of the circumstances referred to in the preceding clause, the Customer:

- authorises the Company by itself, its agents or representatives at all reasonable times, without notice, to enter onto (with force if reasonably necessary) and at all necessary time(s), to remain in and on any premises where the Goods are located in order to collect the Goods, without being guilty of any manner of trespass; and 6.1
- 6.2 assigns to the Company all the Customer's rights to enter onto and remain in and on such premises until all the Goods have been collected.

7.ADMINISTRATION, RECEIVERSHIP ETC.

In any of the circumstances referred to in clause 5.3, neither the Customer nor its insolvency representative or any other

- Berson acting for the Customer and/or its creditors is entitled to sell, charge, remove, dispose of, use or otherwise deal with the Goods in any way inconsistent with the Company's ownership of the Goods, without the Company's prior written approval.
- 7.2 The Customer, its insolvency representative or any other person acting for or on behalf of the Customer and/or its cre-ditors is obliged to re-deliver the Goods to the Company immediately or immediately on his appointment at its or his expense.
 7.3 If the Goods are returned to or collected by the Company, the Company will within 28 days, account to the Customer or its legal representative for all monies received for the Goods from the Customer less the Company's reasonable administration charges, expenses incurred and loss of profits involved

8.CONSIGNMENT

If the Company supplies goods on consignment ("Consignment Goods") then:

- the Oustomer must bear all risk of loss and/or damage to the Consignment Goods and must, in addition, effect and maintain insurance against loss, fire and theft of the Consignment Goods, in an amount adequate to cover the Company's interest as owner of such Consignment Goods; 81
- the Customer must keep the Consignment Goods free from liens, encumbrances and adverse claims of all kinds which might otherwise diminish or adversely affect the Company's exercise of its full rights of ownership of the Consignment 82 Goods:
- 8.3 if the Consignment Goods are lost or damaged while in the Customer's possession or care, the Customer undertakes to reimburse the Company, within 30 days of date of replacement or repair, as the case may be, the full cost of such re placement or repair; and
- the Customer must provide to the Company, a monthly statement by the 15th of the following month, listing in full all Consignment Goods supplied to the Customer as well as full details of all purchasers of the Consignment Goods sold during the preceding month, together with the quantities of the Consignment Goods purchased and the relevant prices 8.4 paid.

9.CUSTOMER AS TRUSTEE

- If the Customer carries on business as trustee of a trust then the Customer warrants that:
- 9.1 the Customer enters into the contract as trustee of a trust;
- 92
- the Outcome has all requises powers to enter into the contract; the beneficiary of the trust approves the purchase of the Goods on the terms of the contract; and the assets of the trust are available to the Company in satisfaction of any debt incurred by the Customer.
- 9.4

10.SALES TAX AND GOODS AND SERVICES TAX

- Sales tax and Goods and Services tax ["GST"] are not included in the quoted price. Unless the Customer produces a Sales Tax Exemption Certificate applicable to the Goods and quotes its Sales Tax
- 10.2 Exemption Number, the Customer must pay all sales tax payable for the Goods at the date of invoic
- 10.3 If GST is imposed on the Company in respect of the Goods then the Customer must pay to the Company the amount of such GST in addition to the quoted price.
- 10.4 The Company will give the Customer written notice of the amount of any GST payable under this clause and provide a tax invoice showing the amount of GST payable.

11.CUSTOMS DUTIES, TARIFFS AND LEVIES

All applicable customs duties, tariffs and levies are payable by the Customer unless the order, order confirmation, invoice or other writing indicates otherwise

12.DELIVERY

- Availability dates are estimates only, but the Company will use its best endeavours to maintain these estimates 12.1 122
- At the Customer's request, the Company will arrange for the delivery of the Goods into the Customer's premises at the Customer's expense.

12.3 Customer machine orders will NOT be delivered directly to End User's premises.

13.DELIVERY BY INSTALMENTS

- The Company reserves the right to deliver the Goods in whole or by instalments, as well as to deliver prior to the date 10.1 The company tool root of the company to deliver of the conduct
 13.2 Where the Goods are delivered by instalments, each instalment is sold under a separate contract.
 13.3 Any failure on the part of the Company to deliver instalments within any specified time does not entitle the Customer to
- repudiate the contract with regard to the balance remaining undelivered.

14.RISK

The Goods are entirely at the risk of the Customer from the moment the Goods leave the Company's premises 15.INSPECTION

Unless the Customer has inspected the Goods and given written notice to the Company within seven (7) days after collection or delivery that the Goods do not comply with the relevant specifications or descriptions, the Goods are deemed to have been accepted in good order and condition.

16.RETURN OF GOODS

- No claim for credit or damaged goods shall be considered unless notification is made within 7 days in writing to the Company.
- Any costs incurred with the return of incorrectly ordered goods will be born by the Customer 16 2 Any goods returned for credit will automatically be subject to a 20% re-stocking fee.

16.3 17.CANCELLATION OF ORDER

No order may be cancelled, modified or deferred without the prior written consent of the Company and if such consent is given, the Company will be reimbursed for all losses, including loss of profits, and paid a cancellation and re-stocking fee (being not less than 20% of the invoice value of the Goods).

18.COMPANY'S LIABILITY LIMITED

- These Terms do not affect the rights, entitlements and remedies conferred by the Trade Practices Act (1974). The Company is not subject to, and the Customer releases the Company from any liability (including but not limited to 18.2 consequential loss or damage, removal costs or re-installation costs or liability for loss of use or profit) because of any delay in delivery or fault or defect in the Goods. The Customer acknowledges that the Company is not responsible if the Goods do not comply with any applicable safety standard(s) or similar regulation(s), and that the Company is not liable for any claim, cost, damage or demand resulting from such non-compliance.
- If any statution of provisions under the Trade Practices Act 1974 or any other statute(s) apply to the Agreement then, to the extent to which the Company is entitled to do so, the Company's liability under the statutory provisions is limited, at the 18.3 Company's option, to:
 - 18.3.1 18.3.2
- replacement or repair of the Goods or the supply of equivalent Goods; or payment of the cost of replacing or repairing the Goods or of acquiring equivalent goods; or refund of the purchase price, and in any case, the Company will not be liable for any consequential or other 18.3.3 direct or indirect loss or damage 19.WARRANTY

- The Company warrants to the Customer that the Goods will be supplied in an undamaged condition and will be free from 19.1 defects in material and workmanshin
- on discovery of any defect in the Goods, the Customer must notify the Company in writing of such defect. All warranty claims must be received by the Company within seven (7) days of the day of delivery. 19.2
- The Company provides a warranty on parts and labour against faulty material or workmanship for a period of 24 months from the date of delivery unless otherwise stated in writing. The warranty covers faulty workmanship on the equipment. The warranty covers all components contained within the equipment housing but does not include consumable items 19.3 that are effected by normal use wear, such as: bowls, blades, seals, bearings, power cords. Equipment must be correc-tly installed in accordance with the manufacturer's instructions, placed level and properly positioned in relation to clearances, heat /cold sources and airflow.
- 19.4 The warranty is void if the Goods have not been maintained as per the Instruction Manual, or if the Goods have been subject to misuse, negligence or accident, operated incorrectly, serviced by unauthorised persons or at the date of the claim the Goods have not been paid in full. • If more information is required on any warranty prerequisite, please contact the Company.
- The Oustmer must not carry out any remedial work to alleged defective Goods without first obtaining the written consent of the Company to do so. The Customer's failure to provide written notice to the Company within the required time of any alleged breach of the above warranty will release and discharge the Company from any obligation or liability for that 19.5
- breach of warranty. The above warranty extends only to the Customer and to no other person. The provisions of any act or law (including but not limited to the Trade Practices Act 1974) implying terms, conditions and warranties, or any other terms, conditions and warranties which might otherwise apply to or arise out of the agree-19.6 ment between the Company and the Customer in relation to the Goods (the «Agreement») are hereby expressly negatived and excluded to the full extent permitted by law. The Customer expressly acknowledges and agrees that it has not relied upon or on, and the Company is not liable for
- 19.7 any advice given by the Company, its servants, agents, representatives or employees in relation to the suitability for any purposes of the Goods
- 19.8 The warranty covers defects and faulty workmanship under normal use (single shift) with recommended service maintained on the equipment.
- Warranty work is to be undertaken during normal business working hours (8:30am to 5:00pm Monday to Friday except 19.9 for Public Holidays) and does not include travel to and from the equipment's location.
- Delivery to and from the Company or service agents, is at the Customer's care. Credit on replacement parts will ONLY be issued on receipt and examination of damaged parts and determined by the Company to be defective. All warranty / service work is a return to base for all machines unless otherwise agreed to by the Company prior to any 19.10 19.11
 - work being carried out.
- 19.12 All large machines to be commissioned and installed by a licenced technician.

10 does not apply to any Goods supplied by the Company to the Customer

The Company reserves discretion the right to refuse credit to any Customer

The Company reserves the right to cancel an approved Credit Account without notice

Company may have, waiver of any subsequent breach or default by the Customer.

consent of the Company, with the Companys absolute discretion.

bility of the remaining provisions are not affected.

Application Form.

20.CATALOGUES

Particulars in leaflets, catalogues, drawings, brochures and other printed are illustrations only, and form no part of the contract between the Company Customer, and are not binding on the Company

21.SAMPLES

Any sample inspected by the Customer is solely for the Customer's convenience does not constitute a sale by sample. All samples remain the proper Company

22.SPECIFICATIONS

- Unless otherwise agreed in writing, the Goods are supplied specification as to weight, quantity, size, dimensions, fini-22.1 shes, composition and physical properties as may be published generally by the Company or as may be set out in any specification issued by in relation to the Goods, or, if no such specification has been set out, subject to such specification as is normally regarded commercially acceptable.
- 22.2 Where any specification for the Goods are to be supplied by, they must be supplied in a reasonable time to enable the Company to complete delivery by the date for delivery. NOTE : Goods with a rating of 240VAC, 10 Ampere or 15 Ampere are fitted with the correct plugs and any 415V are NOT
- 22.3 supplied with plugs. Plugs and installation are at the Customers expense.

23.CONTRACT

24 FORCE MAJEURE

25.WAIVER OF BREACH

26.NO ASSIGNMENT

27.SEVERABILITY

28.CREDIT ACCOUNT

28.1

28.2

28.3

vention of public authority or accident).

The terms of contract between the parties are wholly contained Terms and any other writing signed by both parties. The 23.1 contract to have been made at the Company's place of business in Sydney cause of action is deemed to have arisen there The provisions of the United Nations Convention on contracts International Sale of Goods adopted at Vienna, Austria on 23.2

The Company will not be liable for any breach of contract due to any matter beyond the Company's control (including but not limited

to transportation issues, fire, flood, earthquake, acts of God, strikes, lock-outs, stoppages, wars, riots or civil commotion, inter-

No failure by the Company to insist on strict performances of any of the Terms is a waiver of any right or remedy which the

Neither the Agreement nor any rights arising under the Agreement can be changed by the Customer without the prior written

If any provision contained in these Conditions of Sale is held by a court of law, invalid or unenforceable, the validity and enforcea-

The Company will provide credit on sales to Customers, that are approved after completion of the Company's Account



ROBOT COUPE AUSTRALIA PTY LTD: Unit 3/43 Herbert St Artarmon NSW 2064 Australia T (02) 9478 0300 Email: info@robotcoupe.com.au

www.robotcoupe.com.au