

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

#### 1.1 Product identifier

Product name CONVOCLEAN
Product code CC10L, CC15L, CC25L
Synonym(s) CONVOCLEAN

# 1.2 Uses and uses advised against

Use(s) CLEANING CONVOTHERM OVENS

### 1.3 Details of the supplier of the product

Supplier name Moffat Pty Ltd

Address 740 Spring Vale Road, Mulgrave VIC 3170

 Telephone
 03 9518 3888

 Fax
 03 9518 3838

 Email
 sales@moffat.com.au

 Website
 www.moffat.com.au

#### 1.4 Emergency telephone numbers(s)

**Emergency** 1800 622 216

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO AUSTRALIAN WHS REGULATIONS

GHS classification(s) Skin Corrosion/Irritation: Category 1A

#### 2.2 Label elements

Signal word DANGER

Pictogram(s)



#### Hazard statement(s)

H314 Causes severe skin burns and eye damage.

## Prevention statement(s)

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

# Response statement(s)

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 P304 + P340 P305 + P351 + P338

do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.
P321 Specific treatment is advised - see first aid instructions.

P363 Wash contaminated clothing before reuse.

Page 1 of 7 Version 1.2 SDS Date: 23-OCT-2020





Storage statement(s)

P405 Store locked up.

Disposal statement(s)

P501 Dispose of contents/container in accordance with relevant regulations.

2.3 Other hazards

Ingestion

No information provided.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances / Mixtures

| Ingredient                | CAS Number    | EC Number     | Content   |
|---------------------------|---------------|---------------|-----------|
| POTASSIUM HYDROXIDE       | 1310-58-3     | 215-181-3     | 1 to 10%  |
| NON HAZARDOUS INGREDIENTS | Not Available | Not Available | Remainder |

# 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to

stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

**Inhalation** If inhaled, remove from contaminated area. To protect rescuer, use an Air-line respirator where an inhalation

risk exists. Apply artificial respiration if not breathing.

**Skin** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

for advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If

swallowed, do not induce vomiting.

**First aid facilities** Eye wash facilities and safety shower should be available.

#### 4.2 Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage.

#### 4.3 Immediate medical attention and special treatment needed

CORROSIVE POISONING TREATMENT: Immediate treatment preferably in a hospital is mandatory. In treating corrosive poisoning, DO NOT INDUCE VOMITING; DO NOT ATTEMPT GASTRIC LAVAGE; and DO NOT ATTEMPT TO NEUTRALISE THE CORROSIVE SUBSTANCE. Vomiting will increase the severity of damage to the oesophagus as the corrosive substance will again come in contact with it. Attempting gastric lavage may result in perforating either the oesophagus or stomach. Immediately dilute the corrosive substance by having the patient drink milk or water. If the trachea has been damaged tracheostamy may be required. For oesophageal burns begin broad-spectrum antibiotics and corticosteroid therapy. Intravenous fluids will be required if oesophageal or gastric damage prevents ingestion of liquids. Long-range therapy will be directed toward preventing or treating oesophageal scars and strictures.

# 5. FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

# 5.2 Special hazards arising from the substance or mixture

Non-flammable. May evolve toxic gases if strongly heated.

# 5.3 Advice for fire fighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use water fog to cool intact containers and nearby storage areas.

# 5.4 Hazchem code

2R

2 Fine Water Spray.

R Wear liquid-tight chemical protective clothing and breathing apparatus. Dilute spill and run-off.

Version 1.2 SDS Date: 23-OCT-2020

Page 2 of 7 Version



# 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel. Ventilate area where possible. Contact emergency services where appropriate.

## 6.2 Environmental precautions

Prevent product from entering drains and waterways.

#### 6.3 Methods of cleaning up

Contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for reuse, treatment and/or disposal.

#### 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

#### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Large storage areas should be bunded and have appropriate ventilation systems.

#### 7.3 Specific end use(s)

No information provided.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **8.1 Control parameters**

#### **Exposure standards**

| Ingredient          | Reference | TWA |          | STEL |       |
|---------------------|-----------|-----|----------|------|-------|
|                     |           | ppm | mg/m³    | ppm  | mg/m³ |
| Potassium hydroxide | SWA (AUS) |     | 2 (Peak) |      |       |

#### **Biological limits**

No biological limit values have been entered for this product.

### 8.2 Exposure controls

**Engineering controls** Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction

ventilation is recommended. Maintain vapour levels below the recommended exposure standard.

PPE

**Eye / Face** Wear splash-proof goggles. When using large quantities or where heavy contamination is likely, wear a

faceshield.

**Hands** Wear PVC or rubber gloves.

Body Wear coveralls. When using large quantities or where heavy contamination is likely, wear rubber boots and

a PVC apron. In a laboratory situation, wear a laboratory coat.

**Respiratory** Where an inhalation risk exists, wear a Type B (Inorganic gases and vapours) respirator.







Page 3 of 7

Version 1.2

SDS Date: 23-OCT-2020





#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Appearance PALE BROWN LIQUID

#### 9.1 Information on basic physical and chemical properties

Odour SLIGHT ODOUR **Flammability** NON FLAMMABLE Flash point **NOT RELEVANT Boiling point** 100°C (Approximately) **Melting point NOT AVAILABLE Evaporation rate** AS FOR WATER pН 13.3 to 13.6 Vapour density NOT AVAILABLE Specific gravity 1.042 - 1.047 Solubility (water) SOLUBLE

Vapour pressure 18 mm Hg @ 20°C Upper explosion limit **NOT RELEVANT** Lower explosion limit **NOT RELEVANT Partition coefficient NOT AVAILABLE Autoignition temperature NOT AVAILABLE Decomposition temperature** NOT AVAILABLE **Viscosity NOT AVAILABLE Explosive properties NOT AVAILABLE** Oxidising properties **NOT AVAILABLE Odour threshold NOT AVAILABLE** 

9.2 Other information

% Volatiles > 60 % (Water)

## 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

#### 10.2 Chemical stability

Stable under recommended conditions of storage.

## 10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.

#### 10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

#### 10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites), acids (e.g. nitric acid), metals, heat and ignition sources.

#### 10.6 Hazardous decomposition products

May evolve toxic gases if heated to decomposition.

# 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

Acute toxicity Information available for the product:

Ingestion may result in severe burns of the mouth and throat, as well as a danger of perforation of the

oesophagus and the stomach.

Information available for the ingredient(s):

Page 4 of 7 Version 1.2 SDS Date: 23-OCT-2020





| Ingredient          | Oral Toxicity   | Dermal Toxicity | Inhalation Toxicity |
|---------------------|-----------------|-----------------|---------------------|
|                     | (LD50)          | (LD50)          | (LC50)              |
| POTASSIUM HYDROXIDE | 333 mg/kg (rat) |                 |                     |

Skin Causes severe burns. Contact may result in irritation, redness, pain, rash, dermatitis and possible burns.

Effects may be delayed.

Causes severe burns. Contact may result in irritation, lacrimation, pain, redness and corneal burns with Eye

possible permanent eye damage.

Sensitization Not classified as causing skin or respiratory sensitisation.

Mutagenicity Not classified as a mutagen.

Carcinogenicity Not classified as a carcinogen.

Reproductive Not classified as a reproductive toxin.

STOT - single Over exposure may result in irritation of the nose and throat, coughing and bronchitis. High level exposure exposure may result in ulceration of the respiratory tract, lung tissue damage, chemical pneumonitis and pulmonary

oedema. Effects may be delayed.

STOT - repeated

Not classified as causing organ damage from repeated exposure. Adverse effects are generally associated exposure with single exposure.

**Aspiration** Not classified as causing aspiration.

# 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

No information provided.

#### 12.2 Persistence and degradability

No information provided.

# 12.3 Bioaccumulative potential

No information provided.

#### 12.4 Mobility in soil

No information provided.

#### 12.5 Other adverse effects

No information provided.

# 13. DISPOSAL CONSIDERATIONS

# 13.1 Waste treatment methods

Waste disposal Neutralise with dilute acid (e.g. 3 mol/L hydrochloric acid) or similar. For small amounts, absorb with sand or

similar and dispose of to an approved landfill site. Contact the manufacturer/supplier for additional

information (if required).

Legislation Dispose of in accordance with relevant local legislation.

### 14. TRANSPORT INFORMATION

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE



Page 5 of 7 Version 1.2

SDS Date: 23-OCT-2020







|                              | LAND TRANSPORT<br>(ADG)         | SEA TRANSPORT<br>(IMDG / IMO)   | AIR TRANSPORT<br>(IATA / ICAO)  |
|------------------------------|---------------------------------|---------------------------------|---------------------------------|
| 14.1 UN Number               | 1814                            | 1814                            | 1814                            |
| 14.2 Proper<br>Shipping Name | POTASSIUM HYDROXIDE<br>SOLUTION | POTASSIUM HYDROXIDE<br>SOLUTION | POTASSIUM HYDROXIDE<br>SOLUTION |
| 14.3 Transport hazard class  | 8                               | 8                               | 8                               |
| 14.4 Packing Group           | II                              | II                              | II                              |

#### 14.5 Environmental hazards Not a Marine Pollutant

#### 14.6 Special precautions for user

 Hazchem code
 2R

 GTEPG
 8A1

 EMS
 F-A, S-B

# 15. REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule Classifications

Classifed as a Schedule 6 (S6) Standard for the Uniform Scheduling of Mediciens and Poisons (SUSMP). Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and

Labelling of Chemicals.

The classifications and phrases listed below are based on the Approved Criteria for Classifying Hazardous

Substances [NOHSC: 1008(2004)].

Hazard codes C Corrosive

**Risk phrases** R35 Causes severe burns.

**Safety phrases** S1/2 Keep locked up and out of reach of children.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

S45 In case of accident or if you feel unwell seek medical advice immediately (show the label

where possible).

Inventory listing(s) AUSTRALIA: AICS (Australian Inventory of Chemical Substances)

All components are listed on AICS, or are exempt.

#### 16. OTHER INFORMATION

#### Additional information

RESPIRATORS: In general, the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

EXPOSURE STANDARDS - TIME WEIGHTED AVERAGE (TWA) or WES (WORKPLACE EXPOSURE STANDARD) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16-hour break between shifts exist to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: Strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

# PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Page 6 of 7 Version 1.2 SDS Date: 23-OCT-2020



## SAFETY DATA SHEET



# PRODUCT: CONVOCLEAN

#### **HEALTH EFFECTS FROM EXPOSURE:**

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations ACGIH American Conference of Governmental Industrial Hygienists

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS Central Nervous System

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

GHS Globally Harmonized System

GTEPG Group Text Emergency Procedure Guide
IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

ppm Parts Per Million

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

SWA Safe Work Australia
TLV Threshold Limit Value
TWA Time Weighted Average

#### Report status

This document has been compiled by MOFFAT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to MOFFAT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained no liability for any loss, injury or damage (including consequential loss) which may be suffered or

incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared by

Moffat Pty Ltd 740 Spring Vale Road Mulgrave VIC 3170 Phone +61 3 9518 3888 Fax: +61 3 9518 3838

Email: <a href="mailto:sales@moffat.com.au">sales@moffat.com.au</a>
Web: <a href="mailto:www.moffat.com.au">www.moffat.com.au</a>

[ End of SDS]

Page 7 of 7 Version 1.2 SDS Date: 23-OCT-2020