

MEIKO ACTIVE D-GM 1411 GLASS

1. IDENTIFICATION OF MATERIAL AND SUPPLIER

Product Name MEIKO ACTIVE D-GM 1411 GLASS

Code 50108

Product Use Machine dishwashing liquid and laundry break

Company Name MEIKO AUSTRALIA PACIFIC Pty. Ltd.

Address Unit 4, 72-74 Gibbes Steet, Chatswood NSW 2067, Australia

 Telephone
 +61 1300 562 500

 Facsimile
 +61 1300 622 530

 Email
 sales@meiko.com.au

 Website
 www.meiko.com.au

2. HAZARDS IDENTIFICATION

GHS Classification Skin Corrosion Category 1A

Acute Toxicity (Oral) Category 4

Metal Corrosion 1

Signal Word DANGER

Hazard Statements H314: Causes severe skin burns and eye damage

H302: Harmful if swallowed

H290: May be corrosive to metals

Precautionary Do not breathe mists.

Statements Wash skin thoroughly after handling.

Wear protective gloves / protective clothing and eye protection / face

protection. Do not eat, drink or smoke when using this product.

Store locked up. Keep only in original container. Absorb spillage to prevent material damage.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTRE or doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTRE or doctor.

Dispose of contents/container in accordance with state regulations



Pictograms





Class 8 DG Corrosive

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Name	CAS	Proportion
	Potassium hydroxide	1310-58-3	10 - 30%
	Disodium metasilicate	6834-92-0	1 – 10%
	EDTA Tetra sodium	64-02-8	1 – 10%
	Ingredients determined not to be hazardous	Not required	Balance

4. FIRST AID MEASURES

Ingestion	If swallowed do NO7	induce vomiting.	Immediately	wash out mouth with

water. Seek medical attention.

Eye If in eyes, hold eye lids apart and flush the eye continuously with running

water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek urgent medical

attention.

Skin If skin contact occurs, remove contaminated clothing and flush skin with

running water. Do not re-use contaminated clothing until washed. Seek

medical attention.

Inhaled Not normally a problem due to method of use and non-volatile nature of

product. However, if breathing is affected, remove victim from contaminated

area. If problem persists seek urgent medical attention.

the work area.

Advice to Doctor Treat symptomatically. For advice contact a Poisons Information Centre.

(Phone Australia 131 126; New Zealand 0800 764 766)



5. FIRE FIGHTING MEASURES

Use appropriate extinguishing media to suit surrounding area **Extinguishing Media**

Hazards from Combustion

Fighters

Material does not burn.

Precautions for Fire

Wear chemical splash suit and SCBA. Corrosive liquid. Contact with metals

may evolve flammable Hydrogen gas.

Hazchem 2R

6. ACCIDENTAL RELEASE MEASURES

Keep unauthorised people away. Do not touch or walk through spilled **Emergency Procedures**

material. Do not touch damaged containers or spilled material unless

wearing appropriate protective clothing.

Clean Up Spills will be slippery so treat promptly. For minor spills mop up and rinse

> with water. For larger spills absorb material on mineral absorbent material or absorbent pads. Collect and put into plastic bags or containers and dispose of through licenced waste disposal contractor. Rinse area with

water.

7. HANDLING AND STORAGE

Handling Wear appropriate protective clothing to prevent skin and eye contact. Use

> in well-ventilated area. Keep containers closed when not in use. Maintain high standards of personal hygiene. Wash hands immediately after using

product.

Storage Corrosive product. Store in a cool, dry, well ventilated place out of direct

sunlight. Store in closed containers. Store away from incompatible

materials such as acids, aluminium or zinc. Stored locked up.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure None listed for product. However, exposure standards for potassium

Standards hydroxide are:

TWA 2mg/m³ Peak Limitation

Engineering

MEIKO ACTIVE D-GM 1411 GLASS is dispensed using an electronic **Controls** feeder to prevent contact with product. Do not add manually. Never use

for manual dishwashing. Use in a well-ventilated area to maintain levels

below exposure standards.

Personal **Protective Equipment** Wear impervious gloves and chemical goggles.



9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Clear colourless non foaming liquid

Solubility in Water Soluble pH 14

Flash Point
Melting Point
Boiling Point
Specific Gravity
Not available
Not available
1.274

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions

Hazardous Will not occur

Polymerisation

Conditions to

Avoid

Incompatible

Materials

No special conditions

11. TOXICOLOGICAL INFORMATION

Ingestion Swallowing can result in nausea, vomiting, diarrhoea, abdominal pain and

Reacts violently with acids. Attacks aluminium, tin and zinc

bleeding. Can cause burns to the mouth, oesophagus and gastrointestinal

tract.

Eye Corrosive to eyes. Will cause severe irritation and chemical burns.

Contamination of eyes can result in permanent injury or blindness.

Skin Contact with skin will result in severe irritation. Corrosive to skin - may

cause skin burns.

Inhalation Not normally an inhalation risk due to nature of product and method of use.

However, mist inhalation may cause severe irritation to the mucous

membranes and upper respiratory tract.

Chronic Effects Prolonged or repeated exposure to this product will result in skin irritation,

burns and possibly result in dermatitis.

Toxicological Data Non available for MEIKO ACTIVE D-GM 1411 GLASS. However, for

potassium hydroxide:

Oral LD50: 365mg/kg (rat)

Skin 50g/mg/24hr: Severe (human)

(Reference: Dangerous Properties of Industrial Materials 7th Edition)



12. ECOLOGICAL INFORMATION

Ecotoxicity No information available.

Avoid contaminating waterways

13. DISPOSAL CONSIDERATIONS

Refer to Waste Management Authority. Dispose of material through licensed waste contractor. Assure conformity with all applicable

regulations.

14. TRANSPORT INFORMATION

UN No. 1719

Proper Shipping CAUSTIC ALKALI LIQUID N.O.S Name (Contains Potassium Hydroxide)

Hazchem Code 2R

Class 8 Corrosive

Packing Group II

15. REGULATORY INFORMATION

Classification Poisons Schedule: S6 according to the Poisons Standard February 2021

Hazardous according to the criteria of the Globally Harmonised System of

Classification and Labelling of Chemicals (GHS)

Dangerous Good according to Australian Dangerous Goods (ADG) code

(7.6)

16. OTHER INFORMATION

Contact Point Meiko Australia Pacific Pty. Ltd. 1300 562 500

24 Hour Medical Emergency 13 11 26

Date of preparation 4th August 2021

Issue 2